

创新为源,质量为本

INNOVATION AS THE SOURCE, QUALITY-ORIENTED

































黄山鼎瑞新实业有限公司 HUANGSHAN DRX INDUSTRIAL CO., LTD.

工厂地址:安徽省黄山市黄山区黄山工业园 Factory add:Huangshan Industrial Zone, Huangshan,Anhui

国内销售部 TEL: 0559-8516096 FAX: 0559-8516098

E-mail: sales@everestcase.com





企业简介 ※※ COMPANY



鸿蒙启智,天工开物,百炼成器,铸鼎传记。瑞气氤氲,鼎祚绵长,革故鼎新,再创辉煌。新兴高科技精密铸造企业典 范——鼎瑞新, 秉承"大国工匠, 臻于至善"的实业精神, 忠于"品质优先、服务至上"的职业操守, 全新打造"安全可 靠、坚实耐用"的专业品牌。

公司产品种类齐全,应用广泛,涉及网络、军事、航天、航空、消防、交通、摄影、养殖等诸多领域;产品功能完备, 防护严密,对客户产品进行全方位、无死角的立体守护;产品高端新锐,知性贴心,根据顾客个性化需求,量身打造称心趁 手的应用工具, 让客户体会到妙不可言的意外惊喜。

公司依托高水平科研院所和企业内部研发团队,力保核心技术产品及时升级换代,已拥有数十项发明专利和自主知识产 权。建立完善的质量保证体系,产品获得德国TUV授权的IP68和欧盟Rohs、Reach等认证,并先后通过了IS09001国际质量 管理体系认证、ISO14001环境管理体系认证和GJB 9001C-2017国军标质量管理体系认证。

公司以品质引导市场、以专业打动顾客,不断巩固和扩大国内市场,在北京、上海、南京等地设立办事处,同时积极开 拓海外市场,加强海外销售团队和平台建设,在德国、澳大利亚、俄罗斯也建立了代表处,形成了独立完善、畅达便利的产 品销售渠道,各类产品销往世界100多个国家和地区,为实施"一带一路"战略,提升"中国制造"品牌价值做出了积极的

公司以绿色发展为主题,以安全生产为基础,以回报社会为义务,在环境保护、节能减排、安全生产等方面积极响应和 执行国家政策和规定,获得"安徽省民营科技企业"、"安徽省诚信企业"、"安徽省专精特新企业"等诸多企业桂冠;企 业董事长刘炎先生先后被评为"黄山市优秀共产党员"、"黄山市劳动模范",获得"黄山市五一劳动奖章"、"黄山市青 年五四奖章"等多项荣誉称号。

公司坐落在世界顶级风景名胜区——黄山脚下,长期沐浴着"贾而好儒,诚信守义"的徽商文化洗礼,铸就了"专业进 取、吃苦耐劳,尊爱至诚、团队共进"的企业核心文化价值。企业实施柔性管理,打造"阳光团队、梦想团队"。

心之所向,素履以往。公司将一如既往,锐意创新,打造军民融合新标榜,开启中国创造新篇章。

Huangshan DRX Industrial Co. Ltd. focuses on protecting instruments and equipments, and has a complete range of products related to network, military, aerospace, fire protection, traffic, photography and more fields. It can provide all -around protection for the customer's products for its complete function; it can provide customized service and meet the demands of customers for individual products.

Relying on high-level scientific research institutes and the research and development team of its own, the company makes sure of the timely upgrading of its core technology products. It owns dozens of patents and independent intellectual property rights, and the products have obtained IP68 authentication authorized by the German TUV, as well as the EU RoHS and Reach certification, and have passed the ISO9001 International Quality Management System Certification, ISO14001 Environmental Management System Certification and

GJB 9001C-2017 Military Standard Quality Management System Certification.

The company guides the market with quality, and moves the customers with professionalism. The company has built up the domestic offices in Beijing, Shanghai and Nanjing. While consolidating the domestic market, the company actively explores overseas markets, strengthens the building of overseas sales teams and platforms, company actively explores overseas markets, strengthens the building of overseas sales teams and platforms, sets up representative offices in Germany, Australia, and Russia, forming a perfect, independent and conveniently accessible products marketing channel. A variety of its products are sold in more than 100 countries and regions in the world, making the positive contribution to the implementation of the "One Belt One Road" strategy and the promotion of the brand value of "Made in China".

Taking green development as its theme, production safety as its base, and repaying the society as its obligations, the company positively responds to and implements the national policies and regulations related to

environmental protection, energy saving and production safety.

The company is located at the foot of Huangshan Mountain ——one of the world's top scenic spots. Bathed in the Huizhou culture "being in business but advocating Confucianism; insisting on honesty and courtesy", the company has created the core cultural value of "professionalism and handwork, respect and sincerity, teamwork and spirit". The company implements flexible management, focuses on stimulating employees' creative potential, shapes its future dreams, enhances the self-value of all employees', and thus creates a "sunshine and dream team".


The place to which our hearts long to go is where we will try our best to reach. The company will be keen on innovation as in the past, create a new banner for the integration of military and civilian industry and create a new chapter of manufacturing in China.





企业荣誉 ※※ **COMPANY HONOR**

























-01-

订货说明 ※※

ORDERING INSTRUCTIONS

1.产品颜色可任意定制,需提供色样或者色卡号(RAL或Pantone);

Color can be customized;

2.材料可根据要求更换成阻燃、防静电等特殊性材料;

Material can be changed to flame-retardant, anti-static plastic, etc.

3.产品可根据要求做一定的修改,如开孔,增加、修改PCB固定柱等

 $\label{eq:modifications} \mbox{Modifications can be done, such as drilling holes, adding or}$

changing PCB pillars, etc.

4.所用产品按相关行业设计并提供证书;

Certificates can be provided.

5.因本公司产品常有更动或改进,产品数据可能未及时更新,请订货前进行确认

Product data may not updated on time due to revising and improving,

please confirm with us before ordering;

6.欢迎客户开模定做,模具费从优!

DEVELOPING NEW MOULD & OEM are welcome!











企业资质 ※※

ENTERRISE QUALIFICTION

国际认证/International Certification

















技术专利/Patent Technology









标准测试/Standard test









产品目录 ※ PRODUCT CONTENTS































竭诚为客户提供优质模具开发/服务及产品加工

Provide quality service and product processing, mold development for customers













- 1. 采用高性能抗冲压ABS/PC材料, 高强、质轻;
- 2. 采用硅胶密封条, 具有良好的密封性能, 防水、防尘、防腐, 防护等级可达IP65;
- 3. 使用温度: -20℃ ~ 90℃;
- 4. 内部含有多个螺丝柱, 方便固定电路板及相关元器件;
- 5. 固定盖子和下底的螺丝采用无磁性的不锈钢螺丝, 经久耐用。

Specification:

- 1.Material: high impact ABS;
- 2.IP65 Rating;
- 3. Operating Temperature : -20° C to 90° C;
- 4. Bosses on internal base allow fixing PCB horizontally or connection of terminals, etc into threaded brass;
- 5.Lid fixing screw are M-4 stainless steel (non-magnetic) into threaded brass.



ITEM:PW001 Material:ABS/PC $\text{SIZE:L171} \!\times\! \text{W136} \!\times\! \text{H79} \text{ mm}$



ITEM:PW002 Material:ABS/PC $SIZE:L200\times W120\times H75~mm$



ITEM:PW003 Material:ABS/PC SIZE:L160×W160×H90 mm



ITEM:PW003T Material:ABS/PC $SIZE:L160 \times W160 \times H90 mm$



ITEM:PW004 Material:ABS/PC $SIZE:L263\times W183.5\times H95~mm$



ITEM:PW004T Material:ABS/PC SIZE:L263×W183.5×H95 mm







SIZE:L76×W70×H38 mm





ITEM:PW014T Material:ABS/PC



SIZE:L250 × W190 × H99 mm



ITEM:PW006 Material:ABS/PC

 $SIZE:L115 \times W90 \times H55 mm$



ITEM:PW007 Material:ABS/PC

SIZE:L82.5 × W80 × H55 mm

ITEM:PW015T Material:ABS/PC SIZE:L290 × W190 × H140 mm



ITEM:PW013 Material:ABS/PC

SIZE:L157×W92×H46 mm

ITEM:PW016 Material:ABS/PC SIZE:L402×W304×H165 mm



ITEM:PW016T Material:ABS/PC SIZE:L402×W304×H165 mm



ITEM:PW017 Material:ABS/PC SIZE:L480 × W370 × H200 mm



ITEM:PW017T Material:ABS/PC SIZE:L480 × W370 × H200 mm



ITEM:PW025 Material:ABS/PC SIZE:L320×W240×H111.5 mm



ITEM:PW026 Material:ABS/PC SIZE:L115×W90×H68 mm



ITEM:PW027 Material:ABS/PC SIZE:L100×W68×H50 mm



ITEM:PW027T Material:ABS/PC SIZE:L100×W68×H50 mm



ITEM:PW028 Material:ABS/PC SIZE:L230×W150×H85 mm



ITEM:PW028T Material:ABS/PC SIZE:L230 × W150 × H83.5 mm



ITEM:PW029 Material:ABS/PC SIZE:L160×W110×H90 mm

-80-







ITEM:PW029T Material:ABS/PC SIZE:L160 \times W110 \times H90 mm

 $SIZE:L120 \times W120 \times H90 mm$




ITEM:PW030 Material:ABS/PC $SIZE:L200\times W120\times H75~mm$



ITEM:PW030T Material:ABS/PC $SIZE:L200\times W120\times H75~mm$



ITEM:PW031 Material:ABS/PC $\mathsf{SIZE} \mathpunct{:} \mathsf{L} 120 \times \mathsf{W} 120 \times \mathsf{H} 90 \ \mathsf{mm}$



ITEM:PW032 Material:ABS/PC SIZE:L64×W58×H35 mm



ITEM:PW033 Material:ABS/PC $\mathsf{SIZE}\!:\!\mathsf{L159}\!\times\!\mathsf{W90}\!\times\!\mathsf{H60}\;\mathsf{mm}$



ITEM:PW034 Material:ABS/PC $SIZE:L64\times W58\times H35~mm$



ITEM:PW035 Material:ABS/PC ITEM:PW036 Material:ABS/PC SIZE:L84×W59×H33 mm SIZE:L160×W160×H85 mm



ITEM:PW037 Material:ABS/PC SIZE:L380 × W260 × H120 mm



ITEM:PW038 Material:ABS/PC SIZE:L290 × W200 × H132 mm



ITEM:PW039 Material:ABS/PC SIZE:L250 × W170 × H120 mm

ITEM:PW043 Material:ABS/PC

SIZE:L300 × W270 × H110 mm



ITEM:PW040 Material:ABS/PC SIZE:L210×W120×H110 mm

ITEM:PW044 Material:ABS/PC

ITEM:PW048 Material:ABS/PC

SIZE:L125×W100×H52 mm

SIZE:L255 × W230 × H100 mm



ITEM:PW041 Material:ABS/PC SIZE:L160×W100×H56 mm



ITEM:PW045 Material:ABS/PC SIZE:L215×W185×H85 mm





ITEM:PW049 Material:ABS/PC SIZE:L235×W165×H45 mm





ITEM:PW046 Material:ABS/PC SIZE:L180 × W150 × H70 mm



ITEM:PW050 Material:ABS/PC SIZE:L200×W140×H41 mm



ITEM:PW051 Material:ABS/PC $\text{SIZE:L170} \times \text{W120} \times \text{H21} \text{ mm}$



ITEM:PW052 Material:ABS/PC $SIZE:L145\times W102\times H31~mm$



ITEM:PW053 Material:ABS/PC $\mathsf{SIZE}\!:\!\mathsf{L200}\!\times\!\mathsf{W120}\!\times\!\mathsf{H90}\;\mathsf{mm}$



ITEM:PW054 Material:ABS/PC $SIZE:L200\times W120\times H72~mm$

ITEM:PW058 Material:ABS/PC

 $SIZE:L200\times W120\times H53~mm$



ITEM:PW055 Material:ABS/PC $SIZE:L200\times W120\times H53~mm$

ITEM:PW059 Material:ABS/PC

 $\text{SIZE:L230} \times \text{W160} \times \text{H105} \text{ mm}$



ITEM:PW056 Material:ABS/PC SIZE:L200×W120×H90 mm





SIZE:L200×W120×H72 mm





ITEM:PW061 Material:ABS/PC



SIZE:L158×W90×H74 mm



ITEM:PW062 Material:ABS/PC $SIZE:L125 \times W85 \times H60 \text{ mm}$

ITEM:PW066 Material:ABS/PC

 $SIZE:L158\times W118\times H76~mm$



ITEM:PW063 Material:ABS/PC $SIZE:L240 \times W159 \times H92 mm$

ITEM:PW067 Material:ABS/PC

ITEM:PW075 Material:ABS/PC

SIZE:L263×W185×H69 mm

 $SIZE:L158 \times W90 \times H60 mm$



ITEM:PW064 Material:ABS/PC SIZE:L265×W185×H76 mm

ITEM:PW070 Material:ABS/PC

ITEM:PW076 Material:ABS/PC

SIZE:L230 × W150 × H110 mm

 $SIZE:L230 \times W120 \times H60 mm$

ITEM:PW060 Material:ABS/PC

SIZE:L145×W90×H70 mm



ITEM:PW065 Material:ABS/PC



SIZE:L222×W146×H56 mm



ITEM:PW071 Material:ABS/PC SIZE:L235×W120×H45 mm





ITEM:PW074 Material:ABS/PC SIZE:L158×W90×H60 mm



ITEM:PW077 Material:ABS/PC SIZE:L230×W150×H85 mm



SIZE:L230×W150×H61 mm

www.everestcase.com

www.drxcase.com



ITEM:PW047 Material:ABS/PC

SIZE:L145 × W120 × H60 mm







ITEM:PW079 Material:ABS/PC SIZE:L230 × W150 × H110 mm

ITEM:PW083 Material:ABS/PC

 $SIZE:L160 \times W90 \times H60 mm$



ITEM:PW080 Material:ABS/PC $\mathsf{SIZE}\!:\!\mathsf{L230}\!\times\!\mathsf{W150}\!\times\!\mathsf{H85}\,\mathsf{mm}$



ITEM:PW081 Material:ABS/PC $\mathsf{SIZE}\!:\!\mathsf{L230}\!\times\!\mathsf{W150}\!\times\!\mathsf{H61}\;\mathsf{mm}$



ITEM:PW082 Material:ABS/PC $\mathsf{SIZE}\!:\!\mathsf{L}160\!\times\!\mathsf{W}90\!\times\!\mathsf{H}80\;\mathsf{mm}$



ITEM:PW084 Material:ABS/PC ITEM:PW085 Material:ABS/PC SIZE:L160×W90×H80 mm



ITEM:PW086 Material:ABS/PC $SIZE:L160 \times W90 \times H60 mm$



SIZE:L160×W90×H40 mm

ITEM:PW088 Material:ABS/PC SIZE:L340 × W270 × H102 mm



ITEM:PW089 Material:ABS/PC $SIZE:L340 \times W270 \times H60 mm$



ITEM:PW090 Material:ABS/PC SIZE:L340 × W270 × H120 mm



ITEM:PW087 Material:ABS/PC

 $SIZE:L160 \times W90 \times H40 mm$

ITEM:PW091 Material:ABS/PC $SIZE:L340 \times W270 \times H80 mm$



ITEM:PW092 Material:ABS/PC $\mathsf{SIZE} \mathpunct{:} \mathsf{L300} \times \mathsf{W230} \times \mathsf{H95} \, \mathsf{mm}$



ITEM:PW093 Material:ABS/PC SIZE:L300×W230×H50 mm



ITEM:PW094 Material:ABS/PC $SIZE:L300\times W230\times H110~mm$



ITEM:PW095 Material:ABS/PC $SIZE:L300 \times W230 \times H68 mm$



ITEM:PW096 Material:ABS/PC $\mathsf{SIZE} \mathpunct{:} \mathsf{L270} \times \mathsf{W200} \times \mathsf{H92} \; \mathsf{mm}$



ITEM:PW100 Material:ABS/PC SIZE:L240 × W175 × H89 mm



SIZE:L270×W200×H50 mm



ITEM:PW101 Material:ABS/PC SIZE:L240 × W175 × H50 mm



 $SIZE:L270\times W200\times H110~mm$



ITEM:PW102 Material:ABS/PC SIZE:L240 × W175 × H107 mm



ITEM:PW103 Material:ABS/PC



ITEM:PW107 Material:ABS/PC $SIZE:L210\times W155\times H45~mm$



ITEM:PW111 Material:ABS/PC $SIZE:L180\times W130\times H63~mm$



ITEM:PW115 Material:ABS/PC $SIZE:L140\times W105\times H63~mm$



ITEM:PW119 Material:ABS/PC $SIZE:L230\times W120\times H80~mm$



ITEM:PW123 Material:ABS/PC SIZE:L355 \times W185 \times H77 mm



ITEM:PW104 Material:ABS/PC $SIZE:L210\times W155\times H105~mm$

ITEM:PW108 Material:ABS/PC

ITEM:PW112 Material:ABS/PC

 $SIZE:L140 \times W105 \times H82 mm$

 $SIZE:L180 \times W130 \times H82 mm$



ITEM:PW109 Material:ABS/PC





ITEM:PW116 Material:ABS/PC SIZE:L340 × W240 × H150 mm



ITEM:PW120 Material:ABS/PC SIZE:L355 × W185 × H133 mm



ITEM:PW124 Material:ABS/PC SIZE:L325 × W170 × H103 mm



ITEM:PW105 Material:ABS/PC



 $SIZE:L180 \times W130 \times H45 mm$



ITEM:PW113 Material:ABS/PC SIZE:L140×W105×H45 mm



ITEM:PW117 Material:ABS/PC SIZE:L240 × W170 × H110 mm

ITEM:PW121 Material:ABS/PC SIZE:L355×W155×H97 mm



ITEM:PW125 Material:ABS/PC SIZE:L325×W170×H60 mm



ITEM:PW106 Material:ABS/PC $SIZE:L210\times W155\times H87~mm$



ITEM:PW110 Material:ABS/PC SIZE:L180×W130×H100 mm



ITEM:PW114 Material:ABS/PC SIZE:L140 × W105 × H100 mm



ITEM:PW118 Material:ABS/PC $SIZE:L230\times W120\times H95~mm$



ITEM:PW122 Material:ABS/PC $SIZE:L355 \times W185 \times H113 mm$



ITEM:PW126 Material:ABS/PC SIZE:L325 × W170 × H123 mm

sales@everestcase.com

ITEM:PW099 Material:ABS/PC

SIZE:L270×W200×H68 mm

-11-







ITEM:PW127 Material:ABS/PC SIZE:L325×W170×H78 mm

ITEM:PW131 Material:ABS/PC

SIZE:L295×W155×H72 mm



ITEM:PW128 Material:ABS/PC $\mathsf{SIZE} \mathpunct{:} \mathsf{L295} \negthinspace \times \negthinspace \mathsf{W155} \negthinspace \times \negthinspace \mathsf{H96} \, \mathsf{mm}$



ITEM:PW129 Material:ABS/PC $\mathsf{SIZE} \mathpunct{:} \mathsf{L295} \times \mathsf{W155} \times \mathsf{H55} \, \mathsf{mm}$



ITEM:PW130 Material:ABS/PC SIZE:L295 × W155 × H112 mm



ITEM:PW132 Material:ABS/PC SIZE:L265 × W140 × H105 mm



ITEM:PW133 Material:ABS/PC SIZE:L265×W140×H70 mm



ITEM:PW134 Material:ABS/PC SIZE:L265×W140×H90 mm



ITEM:PW135 Material:ABS/PC SIZE:L265 × W140 × H55 mm



ITEM:PW136 Material:ABS/PC SIZE:L100×W68×H50 mm



ITEM:PW138 Material:ABS/PC SIZE:L158×W90×H39 mm



ITEM:PW139 Material:ABS/PC $SIZE:L120 \times W81 \times H65 mm$



ITEM:PW140 Material:ABS/PC $SIZE:L158 \times W90 \times H46 mm$



ITEM:PW141 Material:ABS/PC SIZE:L200×W120×H60 mm



ITEM:PW142 Material:ABS/PC SIZE:L196×W190×H50 mm



ITEM:PW145 Material:ABS/PC $SIZE:L195 \times W145 \times H75 mm$



ITEM:PW147 Material:ABS/PC $SIZE:L220 \times W200 \times H60 \text{ mm}$



ITEM:PW150 Material:ABS/PC $\mathsf{SIZE}\!:\!\mathsf{L330}\!\times\!\mathsf{W300}\!\times\!\mathsf{H90}\;\mathsf{mm}$



ITEM:PW151 Material:ABS/PC SIZE:L152×W100×H62 mm



ITEM:PW152 Material:ABS/PC $SIZE:L152 \times W100 \times H45 mm$



ITEM:PW153 Material:ABS/PC SIZE:L340 × W160 × H90 mm



ITEM:PW154 Material:ABS/PC SIZE:L200×W120×H63 mm



ITEM:PW155 Material:ABS/PC SIZE:L158×W90×H60 mm



ITEM:PW156 Material:ABS/PC SIZE:L158×W90×H75 mm









产品说明:

- 1. 采用高性能抗冲压ABS/PC材料, 高强、质轻;
- 2. 使用温度: -20℃ ~ 90℃;
- 3. 内部含有多个螺丝柱, 方便固定电路板及相关元器件;
- 4. 本产品主要用于电子、通信、仪器仪表等行业。

Specification:

- 1.Material: High impact ABS;
- 2. Operating Temperature : -20° C to 90° C;
- 3.Bosses on internal base allow fixing PCB horizontally or connection of terminals, etc into threaded brass inserts
- 4. Widely used in communication, photo-electric, safety, instruments and meters.







ITEM:PD001 Material:ABS/PC SIZE:L138.5 × W106 × H37.5


ITEM:PD011 Material:ABS/PC

ITEM:PD015 Material:ABS/PC

SIZE:L167 × W128 × H30.5 mm

ITEM:PD019 Material:ABS/PC

SIZE:L197×W104×H40 mm



ITEM:PD008 Material:ABS/PC SIZE:L220×W148×H39 mm

ITEM:PD012 Material:ABS/PC

SIZE:L155×W99×H28.5 mm



ITEM:PD009 Material:ABS/PC SIZE:L217×W160×H33 mm



ITEM:PD010 Material:ABS/PC SIZE:L190×W135×H60 mm



ITEM:PD013 Material:ABS/PC $\mathsf{SIZE} \mathpunct{:} \mathsf{L120} \times \mathsf{W90} \times \mathsf{H29}\,\mathsf{mm}$



ITEM:PD014 Material:ABS/PC SIZE:L155×W100×H32 mm



ITEM:PD016 Material:ABS/PC SIZE:L243×W134×H35 mm



ITEM:PD017 Material:ABS/PC SIZE:L221×W165×H65 mm



ITEM:PD018 Material:ABS/PC SIZE:L260×W183×H65 mm



ITEM:PD020 Material:ABS/PC SIZE:L139×W104×H84 mm



ITEM:PH001 Material:ABS/PC SIZE:L189×W108×H94 mm



ITEM:PH002 Material:ABS/PC SIZE:L168 × W108 × H39.5 mm



ITEM:PH003 Material:ABS/PC SIZE:L120×W78×H28.5 mm




ITEM:PH004 Material:ABS/PC SIZE:L220×W116×H105 mm



ITEM:PH007 Material:ABS/PC ITEM:PH008 Material:ABS/PC SIZE:L245×W115×H50 mm SIZE:L250×W155×H65 mm





ITEM:PH009 Material:ABS/PC $SIZE:L160\times W110\times H56~mm$



ITEM:PH010 Material:ABS/PC SIZE:L180×W83×H55 mm



ITEM:PH011 Material:ABS/PC SIZE:L177×W85×H28 mm



ITEM:PH020 Material:ABS/PC SIZE:L225×W117×H70 mm



ITEM:PH024 Material:ABS/PC $SIZE:L135\times W70\times H24~mm$



ITEM:PH029 Material:ABS/PC SIZE:L165×W80×H31 mm



ITEM:PH033 Material:ABS/PC SIZE:L207×W103×H37 mm



ITEM:PH037 Material:ABS/PC SIZE:L100×W60×H17 mm



ITEM:PH012 Material:ABS/PC SIZE:L184×W128×H46 mm



ITEM:PH021 Material:ABS/PC SIZE:L178×W77×H35.5 mm



ITEM:PH025 Material:ABS/PC SIZE:L135×W70×H24 mm



ITEM:PH030 Material:ABS/PC SIZE:L165×W80×H31 mm



ITEM:PH034 Material:ABS/PC SIZE:L207×W103×H37 mm



ITEM:PH038 Material:ABS/PC SIZE:L118×W78×H24 mm



ITEM:PH013 Material:ABS/PC SIZE:L200×W136×H46 mm



ITEM:PH022 Material:ABS/PC SIZE:L102×W71×H25 mm



ITEM:PH027 Material:ABS/PC SIZE:L142×W73×H33 mm



ITEM:PH031 Material:ABS/PC SIZE:L165×W80×H31 mm



ITEM:PH035 Material:ABS/PC SIZE:L190×W85×H30 mm



ITEM:PH039 Material:ABS/PC SIZE:L118×W78×H33 mm



ITEM:PH019 Material:ABS/PC SIZE:L190×W107×H67 mm



ITEM:PH023 Material:ABS/PC SIZE:L209×W110×H40 mm



ITEM:PH028 Material:ABS/PC $SIZE:L165\times W80\times H31~mm$



ITEM:PH032 Material:ABS/PC $SIZE:L207\times W103\times H37~mm$



ITEM:PH036 Material:ABS/PC $\text{SIZE:L75}\!\times\!\text{W50}\!\times\!\text{H18}\,\text{mm}$



ITEM:PH040 Material:ABS/PC SIZE:L147×W90×H26 mm

www.everestcase.com

sales@everestcase.com

www.drxcase.com













- 1. 采用高性能抗冲压ABS/PC材料, 高强、质轻;
- 2.使用温度: -20℃ ~ 90℃;
- 3. 内部含有多个螺丝柱, 方便固定电路板及相关元器件;
- 4. 本产品主要用于电子、通信、仪器仪表等行业。

Specification:

- 1.Material: High impact ABS;
- 2. Operating Temperature : -20° C to 90° C;
- 3.Bosses on internal base allow fixing PCB horizontally or connection of terminals, etc into threaded brass inserts;
- 4. Widely used in communication, photo-electric, safety, instruments and meters.



ITEM:PC001 Material:ABS/PC SIZE:L100×W60×H25 mm



ITEM:PC013 Material:ABS/PC SIZE:L65×W43×H17 mm



ITEM:PC017 Material:ABS/PC SIZE:L90×W75×H27 mm



ITEM:PC021 Material:ABS/PC SIZE:L72×W48×H30 mm



ITEM:PC025 Material:ABS/PC SIZE:L142×W100×H28 mm



ITEM:PC029 Material:ABS/PC SIZE:L123×W100×H30 mm



ITEM:PC002 Material:ABS/PC SIZE:L85×W50×H21 mm



ITEM:PC014 Material:ABS/PC SIZE:L102×W61×H31 mm



ITEM:PC018 Material:ABS/PC SIZE:L110×W73×H34 mm



ITEM:PC022 Material:ABS/PC SIZE:L118×W60×H45 mm



ITEM:PC026 Material:ABS/PC SIZE:L140×W82×H38 mm



ITEM:PC030 Material:ABS/PC SIZE:L173×W144×H40 mm



ITEM:PC003 Material:ABS/PC SIZE:L70×W45×H18 mm



ITEM:PC015 Material:ABS/PC SIZE:L100×W60×H27 mm



ITEM:PC019 Material:ABS/PC SIZE:L125×W80×H35 mm



ITEM:PC023 Material:ABS/PC SIZE:L40×W30×H15 mm



ITEM:PC027 Material:ABS/PC SIZE:L211×W150×H50 mm



ITEM:PC031 Material:ABS/PC SIZE:L110×W55×H25 mm



ITEM:PC012 Material:ABS/PC SIZE:L73×W44×H23 mm



ITEM:PC016 Material:ABS/PC $\mathsf{SIZE} \mathpunct{:} \mathsf{L118} \times \mathsf{W59} \times \mathsf{H36} \; \mathsf{mm}$



ITEM:PC020 Material:ABS/PC SIZE:L108×W62×H30 mm



ITEM:PC024 Material:ABS/PC $\mathsf{SIZE} \mathpunct{:} \mathsf{L82} \times \mathsf{W64} \times \mathsf{H25} \; \mathsf{mm}$



ITEM:PC028 Material:ABS/PC SIZE:L123×W100×H30 mm



ITEM:PC032 Material:ABS/PC SIZE:L124×W70×H52 mm

www.everestcase.com

-17-





接线外壳/Junction Enclosure





ITEM:PC033 Material:ABS/PC SIZE:L124×W70×H41 mm

ITEM:PC037 Material:ABS/PC

ITEM:PC041 Material:ABS/PC

ITEM:PC045 Material:ABS/PC

 $SIZE:L138 \times W91 \times H36 mm$

SIZE:L158×W101×H70 mm

SIZE:L164×W102×H45 mm



ITEM:PC034 Material:ABS/PC SIZE:L124×W70×H30 mm

ITEM:PC038 Material:ABS/PC

SIZE:L131×W82×H40 mm



ITEM:PC035 Material:ABS/PC SIZE:L254×W158×H70 mm



ITEM:PC036 Material:ABS/PC SIZE:L204×W127×H60 mm



ITEM:PC039 Material:ABS/PC SIZE:L106×W66×H32mm



ITEM:PC040 Material:ABS/PC SIZE:L197×W126×H80 mm



ITEM:PC043 Material:ABS/PC SIZE:L102×W65×H50 mm



ITEM:PC044 Material:ABS/PC SIZE:L82×W52×H35 mm



ITEM:PC042 Material:ABS/PC


ITEM:PC046 Material:ABS/PC SIZE:L138×W91×H25 mm



ITEM:PC047 Material:ABS/PC SIZE:L215×W156×H26 mm



ITEM:PC048 Material:ABS/PC SIZE:L138×W103×H45 mm



ITEM:PC049 Material:ABS/PC SIZE:L80×W55×H36 mm



ITEM:PC050 Material:ABS/PC SIZE:L51×W41×H26 mm



ITEM:PC053 Material:ABS/PC ITEM:PC055 Material:ABS/PC SIZE:L150×W80×H32 mm SIZE:L230×W142×H64 mm



SIZE:L220×W135×H96 mm



ITEM:PC056 Material:ABS/PC SIZE:L200×W124×H55 mm



ITEM:PC052 Material:ABS/PC

ITEM:PC057 Material:ABS/PC SIZE:L170×W105×H48 mm



ITEM:PC058 Material:ABS/PC $SIZE:L150 \times W90 \times H42 mm$



ITEM:PC066 Material:ABS/PC SIZE:L90×W68×H25 mm



ITEM:PC075 Material:ABS/PC SIZE:L158×W101×H70 mm



ITEM:PC059 Material:ABS/PC SIZE:L130×W80×H37 mm



ITEM:PC067 Material:ABS/PC SIZE:L152×W35×H40 mm

ITEM:PC076 Material:ABS/PC

SIZE:L184×W94×H30 mm



ITEM:PC060 Material:ABS/PC SIZE:L145×W83×H30 mm



ITEM:PC070 Material:ABS/PC SIZE:L310 × W180 × H55 mm



ITEM:PC064 Material:ABS/PC $SIZE:L150 \times W110 \times H50 mm$



ITEM:PC074 Material:ABS/PC SIZE:L197 × W126 × H80 mm


www.everestcase.com













- 1. 广泛应用于各种PLC模块电路、控制器单元、配电器模块;
- 2. 快速而简单地安装在导轨上;
- 3. 预装安装卡子(POM注塑成型);
- 4. 上下壳卡扣连接, 免工具安装;
- 5. 散热性好。

Specification:

- 1. Suitable for sorts of modualarization PCB, controller unit, distributor ect;
- 2. Fast and simple locking onto DIN rail;
- 3. With mounting kit moulded in POM;
- 4. Optional fixing (screw or rail), Quick mounting due to screwless assembly;
- 5. Good heat dissipation.



ITEM:PLC001 Material:ABS/PC SIZE:L158 \times W88 \times H59 mm



ITEM:PLC005 Material:ABS/PC SIZE:L115×W90×H72 mm



ITEM:PLC009 Material:ABS/PC SIZE:L72×W88×H59 mm



ITEM:PLC013 Material:ABS/PC $SIZE:L115 \times W90 \times H41 mm$



ITEM:PLC018 Material:ABS/PC SIZE:L115×W90×H130 mm



ITEM:PLC024 Material:ABS/PC SIZE:L115×W75×H37.5 mm



ITEM:PLC002 Material:ABS/PC SIZE:L107×W88×H59 mm



ITEM:PLC006 Material:ABS/PC SIZE:L115×W90×H40 mm



ITEM:PLC010 Material:ABS/PC SIZE:L168×W115×H73 mm



ITEM:PLC015 Material:ABS/PC $\mathsf{SIZE} \mathpunct{:} \mathsf{L90} \times \mathsf{W72} \times \mathsf{H58} \; \mathsf{mm}$



ITEM:PLC019 Material:ABS/PC SIZE:L115×W90×H130 mm



ITEM:PLC003 Material:ABS/PC SIZE:L145×W90×H72 mm



ITEM:PLC007 Material:ABS/PC SIZE:L145×W91×H130 mm



ITEM:PLC011 Material:ABS/PC SIZE:L145×W90×H41 mm



ITEM:PLC016 Material:ABS/PC $SIZE:L88 \times W37 \times H59 \text{ mm}$



ITEM:PLC020 Material:ABS/PC SIZE:L88×W72×H60 mm



ITEM:PLC004 Material:ABS/PC SIZE:L145×W90×H40 mm



ITEM:PLC008 Material:ABS/PC $SIZE:L168 \times W115 \times H40 mm$



ITEM:PLC012 Material:ABS/PC $SIZE:L115 \times W90 \times H73 mm$



ITEM:PLC017 Material:ABS/PC $SIZE:L110 \times W90 \times H60 mm$



ITEM:PLC021 Material:ABS/PC SIZE:L203×W103×H38 mm

-22-







- 1. 材质:透明聚丙烯;
- 2. 柔性铰链设计, 易于打开和存储;
- 3. 用一个欧元孔(替代);
- 4. 可移动的内部结构,可供不同的组合;
- 5. 折叠起来, 节省空间设计;
- 6. 广泛应用于电子元器件的存储,以及药
- 丸,鱼饵等;

Specification:

- 1.Material: transparent Polypropylene.
- 2. Flexible hinge design. Easy to open and store
- 3. Hang tab with a euro hole (alternative)
- 4. With removable compartments, different combination is available
- 5. Folded up and space-saving design.
- 6. Widely used in electronic components storage, pill storage, fishing lures hooks.etc



ITEM:SPC101 Material:PP SIZE:L27.3×W18.6×H4.1 cm PACKING:20PCS/CTN COMPARTMENT:18




ITEM:SPC106 Material:PP SIZE:L21 × W12.8 × H3.4 cm PACKING:60PCS/CTN COMPARTMENT:6



ITEM:SPC101-1 Material:PP SIZE:L27.3×W18.6×H4.1cm PACKING:20PCS/CTN COMPARTMENT:17



ITEM:SPC107 Material:PP SIZE:L21 × W12.8 × H3.4 cm PACKING:60PCS/CTN COMPARTMENT:18



ITEM:SPC103 Material:PP SIZE:L29×W20×H2.5 cm PACKING:30PCS/CTN COMPARTMENT:15



ITEM:SPC201 Material:PP SIZE:L27.6 × W20 × H4.3 cm PACKING:40PCS/CTN COMPARTMENT:18



ITEM:SPC105 Material:PP SIZE:L21 \times W12.8 \times H3.4 cm PACKING:60PCS/CTN COMPARTMENT:8



ITEM:SPC202 Material:PP $\text{SIZE:L20}\!\times\!\text{W16}\!\times\!\text{H3}\,\text{cm}$ PACKING:40PCS/CTN COMPARTMENT:18



ITEM:SPC203 Material:PP SIZE:L13.9 \times W10.5 \times H3 cm PACKING:120PCS/CTN COMPARTMENT:10



ITEM:SPC205-1 Material:PP $SIZE:L26.3 \times W13 \times H4.3 cm$ PACKING:40PCS/CTN COMPARTMENT:/



ITEM:SPC209-1 Material:PP $\text{SIZE:L18.5}\!\times\!\text{W16.5}\!\times\!\text{H4.35}\,\text{cm}$ PACKING:60PCS/CTN COMPARTMENT:/



ITEM:SPC212 Material:PP SIZE:L28×W17.8×H6 cm PACKING:36PCS/CTN COMPARTMENT:15



ITEM:SPC302 Material:PP SIZE:L15.6 × W4.5 × H3.2 cm PACKING:154PCS/CTN COMPARTMENT:7



ITEM:SPC504 Material:PP SIZE:L9.2×W6.8×H3cm PACKING:240PCS/CTN COMPARTMENT:/



ITEM:SPC204 Material:PP SIZE:L33.4 × W23.5 × H6 cm PACKING:20PCS/CTN COMPARTMENT:24



ITEM:SPC206 Material:PP SIZE:L20.2×W15.5×H3.8cm PACKING:72PCS/CTN COMPARTMENT:24



ITEM:SPC210 Material:PP SIZE:L18.5 \times W13.2 \times H4.5 cm PACKING:60PCS/CTN COMPARTMENT:8



ITEM:SPC212-1 Material:PP SIZE:L28×W17.8×H6 cm PACKING:36PCS/CTN COMPARTMENT:/



ITEM:SPC501 Material:PP SIZE:L18.4×W9×H4.5cm PACKING:72PCS/CTN COMPARTMENT:/




ITEM:SPC204-1 Material:PP SIZE:L33.4×W23.5×H6cm PACKING:20PCS/CTN COMPARTMENT:/



ITEM:SPC208 Material:PP SIZE:L17×W14×H13 cm PACKING:36PCS/CTN COMPARTMENT:4



ITEM:SPC211 Material:PP SIZE:L22.5 \times W18 \times H5.8 cm PACKING:36PCS/CTN COMPARTMENT:12



SIZE:L25.2 × W18.8 × H4.3cm PACKING:20PCS/CTN COMPARTMENT:36



ITEM:SPC502 Material:PP SIZE:L8.8×W6.1×H2.1cm PACKING:480PCS/CTN COMPARTMENT:/



ITEM:SPC205 SIZE:L26.3×W13×H4.3 cm PACKING:40PCS/CTN COMPARTMENT:12



ITEM:SPC209 Material:PP SIZE:L18.5×W16.5×H4.35cm PACKING:60PCS/CTN COMPARTMENT:9



ITEM:SPC211-1 Material:PP SIZE:L22.5 \times W18 \times H5.8 cm PACKING:36PCS/CTN COMPARTMENT:/



ITEM:SPC301 Material:PP SIZE:L7.5 \times W6.3 \times H2.5 cm PACKING:288PCS/CTN COMPARTMENT:8



ITEM:SPC503-1 Material:PP SIZE:L16.2×W9.2×H4.3 cm PACKING:72PCS/CTN COMPARTMENT:/

-24-













- 1. 铝合金压铸成型, 磨砂表面;
- 2. 采用硅胶密封条, 具有良好的密封性能, 防水、防尘、防腐, 防护等级可达IP67;
- 3. 使用温度: -40℃~120℃;
- 4. 抗射频干扰, 良好的机加工性能;
- 5. 大部分产品配有安装片可以固定在墙上。

Specification:

- 1. Die-casting Al alloy enclosure, with the matte surface;
- 2.IP67 Rating;
- 3. Operating Temperature : -40° to 120° ;
- 4. Radio frequency interference resistance, easy tooling;
- 5. External mounting brackets allow the box to be mounted on the wall or panels.



ITEM:AW001 Material:AL SIZE:L280×W186×H71 mm



ITEM:AW005 Material:AL SIZE:L100×W68×H50 mm



ITEM:AW009 Material:AL SIZE:L125×W80×H57.5 mm



SIZE:L160×W100×H65 mm




ITEM:AW022 Material:AL SIZE:L250×W191×H86 mm



ITEM:AW026 Material:AL SIZE:L90×W36×H31 mm



ITEM:AW002 Material:AL SIZE:L80×W75×H57 mm



ITEM:AW006 Material:AL SIZE:L230×W150×H75 mm




ITEM:AW010 Material:AL SIZE:L140×W140×H75 mm



ITEM:AW017 Material:AL SIZE:L120×W80×H65 mm



ITEM:AW023 Material:AL SIZE:L115 × W65 × H55.5 mm



ITEM:AW027 Material:AL $SIZE:L150\times W64\times H36.5~mm$



ITEM:AW003 SIZE:L220×W145×H75 mm




ITEM:AW007 Material:AL SIZE:L245×W190×H92 mm




ITEM:AW011 Material:AL SIZE:L110×W65×H37 mm



ITEM:AW018 Material:AL SIZE:L65×W59×H36 mm



ITEM:AW024 Material:AL SIZE:L188×W120×H78.5 mm



ITEM:AW028 Material:AL SIZE:L222×W145×H58 mm




ITEM:AW004 SIZE:L120×W80×H55 mm




ITEM:AW008 SIZE:L174×W80×H57 mm



ITEM:AW012 Material:AL SIZE:L115×W90×H56.5 mm



ITEM:AW019 SIZE:L160×W160×H89.5 mm



ITEM:AW025 SIZE:L120×W120×H80mm



ITEM:AW030 Material:AL $\text{SIZE:L250} \times \text{W80} \times \text{H50} \text{ mm}$

-26-

ITEM:AW067

ITEM:AW071

ITEM:AW075

ITEM:AW079

ITEM:AW083

SIZE:L135×W85×H56 mm

SIZE:L340 × W235 × H135 mm

Material:AL


Material Al








ITFM:AW031 Material:AL $\mathsf{SIZE}\!:\!\mathsf{L250}\!\times\!\mathsf{W80}\!\times\!\mathsf{H65}\,\mathsf{mm}$



ITFM:AW034 Material:Al SIZE:L240 \times W160 \times H101 mm

ITEM:AW041



ITFM:AW035 Material:Al $SIZE:L266 \times W186 \times H95 mm$



ITFM:AW038 Material:Al $SIZE:L98 \times W64 \times H34 \ mm$



ITEM:AW042 Material:AL SIZE:L150×W100×H81 mm



ITEM:AW043 SIZE:L148 \times W98 \times H43 mm



Material:AL

ITEM:AW040

ITEM:AW044 Material:AL SIZE:L140×W140×H100 mm



Material:AL

ITEM:AW045 Material:AL SIZE:L180×W135×H87 mm



ITEM:AW046 Material:AL SIZE:L220×W155×H96 mm



ITEM:AW047 Material:AL SIZE:L284 × W220 × H88 mm




ITEM:AW048 Material:AL SIZE:L310 × W250 × H101 mm




ITEM:AW049 Material:AL SIZE:L332×W232×H180 mm



ITEM:AW050 Material:AL SIZE:L360×W120×H81 mm




ITEM:AW051 Material:AL SIZE:L360 × W160 × H90 mm



ITEM:AW052 Material:AL $\mathsf{SIZE} : \mathsf{L250} \times \mathsf{W80} \times \mathsf{H81.5}\;\mathsf{mm}$



SIZE:L232×W202×H110.5 mm



ITEM:AW058



ITEM:AW057 Material:AL SIZE:L260 × W160 × H90 mm



SIZE:L332×W232×H121.5 mm

Material:AL




ITEM:AW059 Material:AL SIZE:L270×W120×H90.5 mm



ITEM:AW060 Material:AL $SIZE:L101\times W101\times H58.2~mm$



ITEM:AW066 Material:AL SIZE:L160×W100×H60mm




ITEM:AW070 Material:AL SIZE:L340 × W235 × H135 mm



ITEM:AW074 Material:Al SIZE:L360 × W160 × H135 mm



ITEM:AW078 Material:AL SIZE:L160×W160×H70 mm



ITEM:AW082 Material:AL SIZE:L200×W130×H88 mm



ITEM:AW061 Material:AL SIZE:L138.5 × W112.5 × H63 mm



ITEM:AW068 SIZE:L222×W145×H80 mm SIZE:L300 × W210 × H130 mm



Material:AL

ITEM:AW072 Material:AL SIZE:L188 × W120 × H78 mm



ITEM:AW076 Material:Al SIZE:L260 × W185 × H128 mm




Material:AL ITEM:AW080 Material:AL SIZE:L120×W80×H55 mm SIZE:L165×W95×H39 mm




Material:AL SIZE:L340 × W235 × H155 mm SIZE:L340 \times W235 \times H160 mm



ITEM:AW065 Material:AL $SIZE:L408\times W314\times H152.5\ mm$



ITEM:AW069 SIZE:L340 × W235 × H120 mm




ITEM:AW073 Material:AL SIZE:L340 × W235 × H95 mm



ITEM:AW077 Material:Al SIZE:L265 × W185 × H75 mm



ITEM:AW081 SIZE:L180×W140×H55 mm



ITEM:AW085 Material:AL $SIZE:L340\times W235\times H160~mm$

www.everestcase.com

sales@everestcase.com

www.drxcase.com


SIZE:L220×W120×H90 mm

Material:AL

ITEM:AW056








ITEM:AW086 Material:AL $SIZE:L228\times W150\times H90~mm$

SIZE:L250 × W120 × H82 mm



ITEM:AW087 Material:AL SIZE:L340 \times W235 \times H95 mm



铝防水盒/Aluminum Waterproof Enclosure

ITEM:AW090 Material:AL $SIZE:L228\times W150\times H75~mm$



ITEM:AW091 Material:AL $\text{SIZE:L340} \times \text{W235} \times \text{H115} \text{ mm}$



ITEM:AW092 ITEM:AW093 Material:AL SIZE:L340 × W235 × H120 mm SIZE:L300 × W210 × H100 mm



Material:AL

ITEM:AW094 Material:AL SIZE:L115×W90×H58 mm



ITEM:AW096 Material:AL $SIZE:L360\times W160\times H95~mm$



ITEM:AW098 Material:AL SIZE:L320 × W120 × H90 mm



ITEM:AW099 Material:AL SIZE:L220×W146×H60 mm



ITEM:AW100 SIZE:L160×W141×H85 mm



产品说明:

- 1. 铝合金压铸成型, 抛光表面;
- 2. 上盖有4/6个螺丝孔;
- 3. 开孔、颜色、丝印都可以定制;
- 4. 多用于乐器方面,可以给音色施加效果。

Specification:

- 1. Die-casting Al alloy enclosure, with polishing surface;
- 2. There are 4 (or 6 in 1590D, 1590DD) machine screws holes on the top lid;
- 3. Drilling, color painting, silkscreen can be customized;
- 4. Aluminum pedal box is widely used for musical instruments and can increase the effect of the music.



ITEM:AP001 Material:AL OD:L92.5 × W38.5 × H31 mm WEIGHT:76g

ITEM:AP005 Material:AL

OD:L120×W95×H37 mm


WEIGHT:231g



ITEM:AP002 Material:AL OD:L112×W60×H31 mm WEIGHT:121g



ITEM:AP003 Material:AL OD:L115×W65×H34 mm WEIGHT:150g



ITEM:AP004 Material:AL OD:L120×W94×H34mm WEIGHT:192g



ITEM:AP006 Material:AL OD:L188×W120×H37 mm WEIGHT:411g





ITEM:AP007 Material:AL OD:L120×W66.5×H39.5 mm WEIGHT:153g



ITEM:AP008 Material:AL $\mathsf{OD:L100} \times \mathsf{W50} \times \mathsf{H25.5mm}$ WEIGHT:105g













- 1. 采用AL6063材料;
- 2. 壳体内部设有插槽, 方便固定电路板及元器件;
- 3. 表面处理: 喷砂或拉丝后阳极氧化处理或喷涂处理;
- 4. 屏蔽性强、耐腐蚀、外观美观大方, 散热性好;
- 5. 本产品主要用于通信、医疗、光电、安防、电子、仪器仪表等行业。

Specification:

- 1.Made of Al6063;
- 2. Slots in the extrusion enclosure for fixing PCB and components and parts;
- 3. Surface treatment: mill finish, anodizing, powder coating, electroplating;
- 4. Good show on electro magnetic compatibility(EMC), corrosion resistance, fine appearance, good dissipation;
- 5. Widely used in communication, medical treatment, photo-electric, safety, instruments and meters.



ITEM:AEH001 Material:AL SIZE:W218×H43×L100 mm



ITEM:AEH002 Material:AL SIZE:W53.5×H26×L100 mm



ITEM:AEH008 Material:AL $SIZE:W129\times H30\times L100~mm$



ITEM:AEH009 Material:AL SIZE:W147×H41×L100 mm



ITEM:AEH010 Material:AL $SIZE:W138\!\times\!H46\!\times\!L100\;mm$



ITEM:AEH020 Material:AL SIZE:W66×H27×L100 mm



ITEM:AEH024 Material:AL SIZE:W65×H20×L100 mm



ITEM:AEH029 Material:AL SIZE:W52×H19.5×L100 mm



ITEM:AEH033 Material:AL SIZE:W43×H14×L100 mm



ITEM:AEH037 Material:AL SIZE:W40×H25×L100 mm



ITEM:AEH013 Material:AL SIZE:W130×H31.2×L100 mm



ITEM:AEH021 Material:AL SIZE:W66×H43×L100 mm



ITEM:AEH025 Material:AL SIZE:W64×H23.5×L100 mm



ITEM:AEH030 Material:AL SIZE:W52×H13×L100 mm



ITEM:AEH034 Material:AL SIZE:W45×H18.5×L100 mm



ITEM:AEH038 Material:AL SIZE:W78×H52×L100 mm



ITEM:AEH018 Material:AL $\mathsf{SIZE:W63.3}\!\times\!\mathsf{H38}\!\times\!\mathsf{L100}\;\mathsf{mm}$



ITEM:AEH022 Material:AL SIZE:W65×H25×L100 mm



ITEM:AEH026 Material:AL SIZE:W69×H24×L100 mm



ITEM:AEH031 Material:AL SIZE:W56×H28×L100 mm



ITEM:AEH035 Material:AL SIZE:W28×H16×L100 mm



ITEM:AEH039 Material:AL SIZE:W70×H35×L100 mm



ITFM:AFH019 Material:Al SIZE:W69.8×H46.6×L100 mm



ITEM:AEH023 Material Al $SIZE:W64\times H25.5\times L100~mm$



ITEM:AEH028 Material:AL $SIZE:W66 \times H32 \times L100 \text{ mm}$



ITEM:AEH032 Material:AL SIZE:W57×H28×L100 mm



ITEM:AEH036 Material:AL SIZE:W104×H40×L100 mm



ITEM:AEH041 Material:AL SIZE:W74×H29×L100 mm

www.everestcase.com

sales@everestcase.com

www.drxcase.com

Material:AL





ITEM:AEH042 Material:AL SIZE:W64×H24×L100 mm

ITEM:AEH047

ITEM:AEH053

SIZE:W88×H34×L100 mm

ITEM:AEH057 Material:AL

SIZE:W122×H43×L100 mm

SIZE:W108×H71×L100 mm



ITEM:AEH043 Material:AL SIZE:W74×H22×L100 mm



ITEM:AEH044 Material:AL SIZE:W70×H45×L100 mm



ITEM:AEH045 Material:AL SIZE:W112×H71×L100 mm



ITEM:AEH050 Material:AL SIZE:W76×H35×L100 mm



ITEM:AEH052 Material:AL SIZE:W97×H41×L100 mm



ITEM:AEH049 Material:AL

Material:AL ITEM:AEH054 SIZE:W115×H45×L100 mm




ITEM:AEH055 Material:AL SIZE:W106×H55×L100 mm



ITEM:AEH056 Material:AL SIZE:W114×H32.8×L100 mm



ITEM:AEH058 Material:AL SIZE:W145×H68×L100 mm




ITEM:AEH059 Material:AL $SIZE:W178\times H48.7\times L100~mm$



ITEM:AEH060 Material:AL SIZE:W154×H56×L100 mm



ITEM:AEH061 Material:AL ITEM:AEH062 Material:AL SIZE:W154×H72×L100 mm SIZE:W225×H36×L100 mm



Material:AL

ITEM:AEH063 Material:AL SIZE:W116.5×H68×L100 mm



ITEM:AEH067 Material:AL SIZE:W88×H39×L100 mm



ITEM:AEH068 Material:AL SIZE:W147×H36×L100 mm



ITEM:AEH065 Material:AL SIZE:W103×H33×L100 mm



ITEM:AEH069 Material:AL SIZE:W156×H55×L100 mm



ITEM:AEH070 Material:AL SIZE:W133×H44×L100 mm



ITEM:AEH074 Material:AL SIZE:W104×H28×L100 mm




ITEM:AEH080 Material:AL SIZE:W80×H44×L100 mm



ITEM:AEH084 Material:AL SIZE:W104.6×H52.6×L100 mm



ITEM:AEH088 Material:AL SIZE:W120×H40×L100 mm



ITEM:AEH092 Material:AL SIZE:W158×H39×L100 mm



ITEM:AEH071 Material:AL SIZEW144×H28×L100 mm



ITEM:AEH075 Material:AL SIZE:W149×H38×L100 mm




ITEM:AEH081 Material:AL SIZE:W80×H45×L100 mm



ITEM:AEH085 Material:AL SIZE:W71×H39.2×L100 mm



ITEM:AEH089 Material:AL SIZE:W157×H40×L100 mm



ITEM:AEH093 Material:AL SIZE:W187.5×H44.5×L100 mm



ITEM:AEH072 Material:AL SIZE:W127×H25×L100 mm




ITEM:AEH077 Material:AL SIZE:W204×H48×L100 mm




ITEM:AEH082 Material:AL SIZE:W80×H45×L100 mm



ITEM:AEH086 Material:AL SIZE:W146×H88×L100 mm



ITEM:AEH090 Material:AL SIZE:W79×H39×L100 mm



ITEM:AEH094 Material:AL SIZE:W64×H25×L100 mm



ITEM:AEH073 Material:AL $SIZE:W85 \times H35.5 \times L100 \text{ mm}$



ITEM:AEH079 Material:Al $SIZE:W80 \times H37.5 \times L100 \text{ mm}$




ITEM:AEH083 Material:AL SIZE:W84×H28×L100 mm



ITEM:AEH087 Material:AL SIZE:W111.5×H58×L100 mm



ITEM:AEH091 Material:AL SIZE:W170×H53.5×L100 mm



ITEM:AEH095 SIZE:W110×H58×L100 mm

ITEM:AEH066 Material:AL

SIZE:W104×H28×L100 mm

-34-







ITEM:AEH096 Material:AL SIZE:W146 \times H39.5 \times L100 mm

ITEM:AEH100 Material:AL

 $SIZE:W90.2\times H49.6\times L100~mm$

ITEM:AEH104 Material:AL

SIZE:W200×H52.5×L100 mm

ITEM:AEH108 Material:AL

SIZE:W160×H57.3×L100 mm



ITEM:AEH097 Material:Al SIZE:W88×H46×L100 mm



ITEM:AEH098 Material:AL SIZE:W95×H55×L100 mm



ITEM:AEH099 Material:AL SIZE:W87.7×H49×L100 mm



ITEM:AEH102 Material:AL SIZE:W104×H58.4×L100 mm



ITEM:AEH103 Material:AL SIZE:W87×H51.1×L100 mm



ITEM:AEH101 Material:AL

SIZE:W104.2×H52.7×L100 mm

ITEM:AEH105 Material:AL SIZE:W127×H51×L100 mm



ITEM:AEH106 Material:AL SIZE:W190×H70×L100 mm



ITEM:AEH107 Material:AL SIZE:W188.8×H74.5×L100 mm



ITEM:AEH109 Material:AL SIZE:W166×H61.8×L100 mm




ITEM:AEH110 Material:AL SIZE:W128×H58×L100 mm

ITEM:AEH116 Material:AL



ITEM:AEH111 Material:AL SIZE:W234×H80.5×L100 mm



ITEM:AEH113 Material:AL SIZE:W70×H27×L100 mm



ITEM:AEH115 Material:AL SIZE:W88.6×H47×L100 mm



ITEM:AEH118 Material:AL ITEM:AEH119 Material:AL SIZE:W67×H24×L100 mm SIZE:W70×H24×L100 mm



ITEM:AEH120 Material:AL SIZE:W108×H26×L100 mm



ITEM:AEH117 Material:AL SIZE:W52×H38×L100 mm



ITEM:AEH121 Material:AL SIZEW86×H18.5×L100 mm



ITEM:AEH124 Material:AL SIZE:W98×H41.5×L100 mm



ITEM:AEH133 Material:AL SIZE:W78×H26×L100 mm



ITEM:AEH139 Material:AL SIZE:W112×H27.5×L100 mm



ITEM:AEH144 Material:AL SIZE:W115.5×H24×L100 mm



ITEM:AEH162 Material:AL SIZE:W81×H27×L100 mm



ITEM:AEH167 Material:AL SIZE:W40×H25×L100 mm



ITEM:AEH126 Material:AL SIZE:W88.3×H46.3×L100 mm



ITEM:AEH134 Material:AL SIZE:W87×H40.5×L100 mm



ITEM:AEH141 Material:AL SIZE:W95×H35.5×L100 mm



ITEM:AEH146 Material:AL SIZE:W161.5×H32×L100 mm



ITEM:AEH163 Material:AL SIZE:W138×H34×L100 mm



ITEM:AEH168 Material:AL SIZE:W49.3×H32×L100 mm



ITEM:AEH129 Material:AL SIZE:W137×H72×L100 mm



ITEM:AEH135 Material:AL SIZE:W69×H27×L100 mm




ITEM:AEH142 Material:AL SIZE:W155.5×H34×L100 mm



ITEM:AEH151 Material:AL SIZE:W72.5 × H24 × L100 mm



ITEM:AEH165 Material:AL SIZE:W50×H40×L100 mm



ITEM:AEH169 Material:AL SIZE:W95×H30.4×L100 mm



ITEM:AEH132 Material:AL SIZE:W159×H35×L100 mm



ITEM:AEH136 Material:AL $SIZE:W133\times H26.3\times L100~mm$




ITEM:AEH143 Material:AL SIZE:W101.2×H23.5×L100 mm



ITEM:AEH161 Material:AL SIZE:W47×H23×L100 mm



ITEM:AEH166 Material:AL SIZE:W84.2×H25.2×L100 mm



ITEM:AEH170 Material:AL SIZE:W84×H55×L100 mm

-36-







ITEM:AEH171 Material:AL SIZE:W114.8×H65.4×L100 mm

ITEM:AEH175 Material:AL

SIZE:W92.2×H20×L100 mm

ITEM:AEH179 Material:AL

SIZE:W90.4×H23.8×L100 mm

ITEM:AEH183 Material:AL

SIZE:W161.4×H49×L100 mm



ITEM:AEH172 Material:AL SIZE:W25×H25×L100 mm



ITEM:AEH173 Material:AL SIZE:W70.6×H44.2×L100 mm



ITEM:AEH174 Material:AL SIZE:W54×H20.5×L100 mm



ITEM:AEH176 Material:AL SIZE:W25×H25.6×L100 mm




ITEM:AEH177 Material:AL SIZE:W158.4×H39×L100 mm



ITEM:AEH178 Material:AL SIZE:W168×H41.5×L100 mm



ITEM:AEH180 Material:AL SIZE:W65.2×H22.4×L100 mm



ITEM:AEH181 Material:AL SIZE:W176×H44×L100 mm



ITEM:AEH182 Material:AL SIZE:W131×H50×L100 mm



ITEM:AEH184 Material:AL SIZE:W129.5×H31.2×L100



ITEM:AEH185 Material:AL SIZE:W97.2×H40.6×L100 mm



ITEM:AEH186 Material:AL SIZE:W40×H13.2×L100 mm



ITEM:AEH187 Material:AL SIZE:W230.2×H40×L100 mm



ITEM:AEH188 Material:AL SIZE:W160×H80×L100 mm



ITEM:AEH191 Material:AL ITEM:AEH192 Material:AL SIZE:W55×H21.4×L100 mm SIZE:W130.4×H75.2×L100 mm



SIZE:W155.6×H50×L100 mm



ITEM:AEH193 Material:AL SIZE:W165.2×H40×L100 mm



ITEM:AEH190 Material:AL SIZE:W56×H22.2×L100 mm



ITEM:AEH194 Material:AL SIZE:W100×H100×L100 mm



ITEM:AEH195 Material:AL SIZE:W25×H27.5×L100 mm



ITEM:AEH199 Material:AL $\mathsf{SIZE}\!:\!\mathsf{W}60.9\!\times\!\mathsf{H}12.9\!\times\!\mathsf{L}100\,\mathsf{mm}$



ITEM:AEH203 Material:AL SIZE:W145.5×H82.2×L100



ITEM:AEH211 Material:AL SIZE:W108.7×H34.5×L100



ITEM:AEH215 Material:AL SIZE:W120×H90×L100 mm



ITEM:AEH196 Material:AL SIZEW70×H70×L100 mm



ITEM:AEH200 Material:AL SIZE:W57.2×H10.5×L100 mm



ITEM:AEH204 Material:AL SIZE:W175.1×H29.4×L100



ITEM:AEH212 Material:AL SIZE:W31.5×H16×L100 mm




ITEM:AEH216 Material:AL SIZE:W150×H85.1×L100 mm



ITEM:AEH197 Material:AL SIZE:W112×H38×L100 mm




ITEM:AEH201 Material:AL SIZE:W71×H24.8×L100 mm



ITEM:AEH207 Material:AL SIZE:W70.1×H30.3×L105 mm



ITEM:AEH213 Material:AL SIZE:W68×H45×L100 mm



ITEM:AEH217 Material:AL SIZE:W30.4×H17×L100 mm



ITEM:AEH198 Material:AL




ITEM:AEH202 Material:AL SIZE:W145.2×H82.4×L100



ITEM:AEH210 Material:AL SIZE:W52.9×H46.6×L95 mm



ITEM:AEH214 Material:AL SIZE:W178×H48.8×L100 mm



ITEM:AEH219 Material:AL SIZE:W57×H24×L100 mm

-38-

SIZE:W82×H32.5×L100 mm







铝箱/Aluminum Case







产品说明:

- 1. 材料: 铝框架、塑料板、板材;
- 2. 颜色:黑色跟铝本色;
- 3. 配件: 金属护角、锁、把手、EVA海绵;
- 4. 经久耐用, 室内室外皆可。

Specification:

- 1. Material: Silver aluminum frame and plastic panels , medium density fibre board;
- 2.Colour: Black & silver;
- 3. Accessories: Metal corner protectors, metal lock, padded metal handle and EVA foam;
- 4. Durable use case, suitable for being taken indoor and outdoor.



ITEM:APC001 Material:AL,ABS I D:L251 × W110 × H112 mm OD:L261 × W120 × H118 mm



ITEM:APC002 Material:AL,ABS I D:L341 × W190 × H108 mm OD:L351 × W200 × H117 mm



ITEM:APC003 Material:AL,ABS I D:L550 × W198 × H53 mm OD:L566 × W210 × H63 mm



ITEM:APC004 Material:AL,ABS I D:L250×W200×H75 mm $\text{OD:L260}\!\times\!\text{W210}\!\times\!\text{H80}\;\text{mm}$

ITEM:APC008 Material:AL,ABS

I D:L410 × W310 × H107 mm

 $\mathsf{OD}\!:\!\mathsf{L450}\!\times\!\mathsf{W330}\!\times\!\mathsf{H120}\;\mathsf{mm}$



ITEM:APC005 Material:AL,ABS I D:L315 × W204 × H55 mm OD:L331×W221×H64 mm

ITEM:APC009 Material:AL,ABS

I D:L390 \times W286 \times H91 mm

OD:L404 \times W302 \times H98 mm



ITEM:APC006 Material:AL,ABS I D:L368 × W268 × H68 mm OD:L380 × W280 × H80 mm



ITEM:APC007 Material:AL,ABS I D:L368 × W268 × H98 mm



OD:L380×W280×H110 mm







ITEM:APC011 Material:AL,ABS I D:L449 \times W306 \times H110 mm OD:L467 × W324 × H125 mm







ID:L442×W359×H191 mm $\mathsf{OD:L460}\!\times\!W377\!\times\!H202\,\mathsf{mm}$



ITEM:APC013 Material:AL,ABS I D:L295 × W244 × H92 mm OD:L305 × W254 × H102 mm



ITEM:APC010 Material:AL,ABS

I D:L302 × W274 × H220 mm

 $\text{OD:L315}\!\times\!\text{W283}\!\times\!\text{H232}\,\text{mm}$


ITEM:APC014 Material:AL,ABS I D:L300 × W195 × H70 mm OD:L310 \times W205 \times H80 mm



I D:L630 × W330 × H90 mm OD:L640×W340×H100 mm



ITEM:APC015 Material:AL,ABS



I D:L580 × W350 × H220 mm $\mathsf{OD:L590} \times \mathsf{W360} \times \mathsf{H230}\;\mathsf{mm}$




ITEM:APC017 Material:AL,ABS I D:L390 \times W270 \times H70 mm OD:L400 × W280 × H80 mm



ITEM:APC018 Material:AL,ABS ID:L450×W320×H145 mm OD:L460 × W330 × H155 mm



I D:L570 \times W395 \times H240 mm OD:L580×W405×H250 mm



-40-













- 1. 材料: 高性能抗冲压PP,
- 2. ROHS 认证
- 3. 适用温度: -25℃ to 120℃;
- 4. 海绵, 标签及丝印皆可定制;
- 5. 磨砂表面
- 6. 适用于工具及精密仪器设备。

Specification:

- 1.Materail: high impact PP;
- 2.ROHS approved;
- 3. Operating Temperature: -25° °C to 120° °C;
- 4. Customized foam, logos and printing are available;
- 5.Frosted surface;
- 6. Suitable for tools, precised devices.



ITEM:TPC001 Material:PP
I D:L225×W137×H40 mm
OD:L235×W185×H47 mm



ITEM:TPC002 Material:PP
I D:L245 × W160 × H62 mm
OD:L250 × W210 × H69 mm



ITEM:TPC003 Material:PP
I D:L334 × W220 × H72 mm
OD:L340 × W280 × H82 mm



ITEM:TPC004 Material:PP
I D:L395 × W270 × H84 mm
0D:L400 × W356 × H90 mm



ITEM:TPC005 Material:PP
I D:L422×W245×H114 mm
OD:L430×W315×H122 mm



ITEM:TPC006 Material:PP
I D:L455 × W285 × H140 mm
OD:L460 × W372 × H145 mm



ITEM:TPC007 Material:PP
I D:L270 × W175 × H74 mm
OD:L280 × W230 × H84 mm



ITEM:TPC008 Material:PF I D:L380 × W280 × H86 mm OD:L405 × W353 × H95 mm



ITEM:TPC009 Material:PP
I D:L415 × W240 × H90 mm
OD:L430 × W315 × H100 mm



ITEM:TPC010 Material:PP
I D:L352 × W275 × H160 mm
OD:L367 × W320 × H170 mm



ITEM:TPC011 Material:PP
I D:L510 × W350 × H166 mm
OD:L540 × W411 × H182 mm



ITEM:TPC012 Material:PF I D:L265×W185×H85 mm OD:L290×W255×H92 mm



ITEM:TPC013 Material:PP
I D:L237 × W160 × H90 mm
OD:L250 × W215 × H96 mm



ITEM:TPC014 Material:PP
I D:L237 × W160 × H116 mm
OD:L250 × W215 × H122 mm

型号	材料	4	外尺寸 Ou	tside Dim(m	m)	内尺寸 Inside Dim(mm)			重量	
Product No	Material	L	W	Hi	H ₂	Ľ	W′	H ₁ '	H ₂ ′	Wight (Kg)
TPC001	PP	235	185	23.5	23.5	225	137	20	20	0.25
TPC002	PP	250	210	34.5	34.5	245	160	31	31	0.34
TPC003	PP	340	280	41	41	334	220	36	36	0.61
TPC004	PP	400	356	45	45	395	270	40	40	0.82
TPC005	PP	430	315	61	61	422	245	57	57	0.98
TPC006	PP	476	372	74	74	455	285	70	70	1.27
TPC007	PP	280	230	42	42	270	175	37	37	0.43
TPC008	PP	405	353	47.5	47.5	380	280	43	43	0.87
TPC009	PP	430	315	51	51	415	240	47	47	0.91
TPC010	PP	367	320	85	85	352	275	80	80	0.94
TPC011	PP	540	411	91	91	510	350	83	83	3.1
TPC012	PP	290	260	46	46	265	185	42.5	42.5	0.63
TPC013	PP	250	215	48	48	237	160	45	45	0.41
TPC014	PP	250	215	61.5	61.5	237	160	58	58	0.45







- 1. 采用高性能抗冲压ABS材料;
- 2. 采用硅胶密封条, 具有良好的密封性能, 防水、防尘、抗压减震, 防护等级可达IP67;
- 3. 良好的环保性能,符合ROHS要求;
- 4. 使用温度: -40℃ ~ 98℃;
- 5. 内置抽拔式海绵,方便根据使用要求进行裁切,也可根据客户要求,定制特定形状的海棉和泡沫;
- 6. 圆形排气阀, 自动调节箱子内外压力, 液体固体无法通过;
- 7. 两个撬拉式卡口和舌型凹槽中得0型密封圈保证箱体密封紧密;
- 8. 顶部和底部均有方便填标签Logo的区域,把手附近有两个锁孔,方便配锁。

Specification:

- 1.Materail: high impact ABS;
- 2.IP67 Rating;
- 3.ROHS approved;
- 4. Operating Temperature: -40°C to 98 °C;
- 5. Filled with pre-cutted foam and easy to make suitable compartments, and customized foam is also available;
- 6.A knob with O-ring for manual presure adjustment;
- 7.Draw latch snaps tightly closed, It won't be broken even under higher impact;
- 8 Areas on the lid and bottom for sticking logos, Holes near the handle to fit padlocks.









产品颜色可任意定制,但需提供色样或者色卡(RAL或潘通色卡号) Color can be customized ,but the color sample or color code (RAI,Pantone) should be provided.







ITEM:EPC010 Material:ABS/PP ID:L255×W185×H83 mm OD:L280 × W230 × H98 mm Weight:1000 g



ITEM:EPC013 Material:ABS/PP ID:L365 × W247 × H105 mm OD:L390×W285×H120 mm Weight:1800 g



ITEM:EPC015 Material:ABS/PP ID:L435×W305×H123 mm OD:L465 × W365 × H140 mm Weight:3200 g



ITEM:EPC017-1 Material:ABS/PP I D:L477.5 × W357 × H134 mm OD:L515.5×W434.5×H155 mm Weight:4100 g



ITEM:EPC018 Material:ABS/PP I D:L528 × W386 × H180 mm OD:L560 × W450 × H200 mm Weight:4900 g



ITEM:EPC010A Material:ABS/PP I D:L255×W185×H83 mm OD:L280 × W230 × H98 mm Weight:1000 g

ITEM:EPC013-2 Material:ABS/PP

ITEM:EPC016 Material:ABS/PP

I D:L435×W305×H168 mm

OD:L465×W365×H185 mm

I D:L477.5 × W357 × H134 mm

Weight:3400 g

Weight:7600 g

ID:L365 × W247 × H155 mm

OD:L390 × W285 × H170 mm

Weight:2350 g



ITEM:EPC014 Material:ABS/PP I D:L390 × W265 × H150 mm OD:L425 × W325 × H168 mm Weight:2700 g



ITEM:EPC017 Material:ABS/PP I D:L477.5 × W357 × H178 mm OD:L515.5 × W434.5 × H199 mm Weight:4700 g



ITEM:EPC017-1B Material:ABS/PP ITEM:EPC017-2 Material:ABS/PP I D:L477.5 × W357 × H219 mm OD:L515.5×W434.5×H185 mm OD:L515.5×W434.5×H240 mm Weight:5400 g



ITEM:EPC018B Material:ABS/PP ITEM:EPC018-1 Material:ABS/PP I D:L528 × W386 × H180 mm I D:L528 × W386 × H140 mm OD:L560 × W450 × H230 mm OD:L560 × W450 × H160 mm Weight:8400 g Weight:4500 g



ITEM:EPC012 Material:ABS/PP I D:L340 × W215 × H155.5 mm OD:L375×W272×H170 mm Weight:2000 g



ITEM:EPC014-1 Material:ABS/PP ID:L390 × W265 × H110 mm OD:L425×W325×H127 mm Weight:2400 g



ITEM:EPC017B Material:ABS/PP I D:L477.5 × W357 × H178 mm OD:L515.5 × W434.5 × H229 mm Weight:8200 g



ITEM:EPC017-2B Material:ABS/PP I D:L477.5 × W357 × H219 mm OD:L515.5×W434.5×H270 mm Weight:8900 g



ITEM:EPC018-1B Material:ABS/PP I D:L528 × W386 × H140 mm OD:L560 × W450 × H190 mm Weight:8000 g



ITEM: FPC018-2 Material: ABS/PP I D:L528 \times W386 \times H280 mm OD:L560 × W450 × H300 mm Weight: 6000 g



ITEM:EPC019-2 Material:ABS/PP I D:L311 \times W210 \times H150 mm OD:L345 × W266 × H165 mm Weight:1800 g



ITEM:EPC021B Material:ABS/PP I D:L565 \times W410 \times H193 mm OD:L632 × W474 × H232 mm Weight:6900 g



ITEM:EPC022-2 Material:ABS/PP I D:L215 × W144 × H134 mm OD:L235 × W187 × H145 mm Weight: 870 g



ITEM:EPC034 Material:ABS/PP I D:L263 x W173 x H95mm OD:L284 x W218 x H105mm Weight:700 g



ITEM:EPC018-2B Material:ABS/PP ID:L528 × W386 × H280 mm OD:L560×W450×H330 mm Weight:9500 g



ITEM:EPC020 Material:ABS/PP ID:L590×W420×H190 mm OD:L665×W500×H230 mm Weight:9800 g



ITEM:EPC021-1 Material:ABS/PP ID:L565×W410×H149 mm OD:L632×W474×H168 mm Weight:5600 g



ITEM:EPC025 Material:ABS/PP I D:L170×W105.5×H75 mm OD:L190×W130×H88 mm Weight:350 g



ITEM:EPC035 Material:ABS/PP I D:L303 x W203 x H107mm OD:L320 x W248 x H116mm Weight:850 g



ITEM:EPC019 Material:ABS/PP I D:L311 × W210 × H105 mm OD:L345×W266×H120 mm Weight: 1550 g



ITEM:EPC020-1 Material:ABS/PP I D:L590 × W420 × H190 mm OD:L665×W500×H210 mm Weight:8800 g



I D:L565×W410×H149 mm OD:L632×W474×H188 mm Weight:6600 g



ID:L170×W105.5×H75 mm OD:L190×W130×H88 mm



ITEM:EPC036 Material:ABS/PP I D:L354 x W233 x H125mm OD:L408 x W280 x H135mm Weight:1350 g



TEM: EPC019A Material: ABS/PP I D:L311 \times W210 \times H105 mm OD:L345 \times W266 \times H120 mm Weight:1550 g



ITEM:EPC021 Material:ABS/PP ID:L565×W410×H193 mm OD:L632×W474×H212 mm Weight:5900 g



ITEM:EPC021-1B Material:ABS/PP ITEM:EPC022 Material:ABS/PP I D:L215 × W144 × H84 mm $0D:L235 \times W187 \times H95 \text{ mm}$ Weight:800 g



ITEM:EPC025T Material:ABS/PC ITEM:EPC033 Material:ABS/PP I D:L223 x W142 x H81mm OD:L242 x W190 x H90mm Weight:550 g



ITEM:EPC037 Material:ABS/PP I D:L403 x W273 x H137mm OD:L460 x W320 x H147mm Weight:1750 g

-46-





型号	材料		外尺寸 Out	side Dim(mm)		内尺寸 Ins	side Dim(mm))	重量
Product No	Material	L	W	H ₁	H ₂	Ľ	W'	H ₁ ′	H ₂ ′	Weight (Kg)
EPC010	ABS/PP	280	230	33	65	255	185	25.5	57.5	1
EPC010A	ABS/PP	280	230	33	65	255	185	25.5	57.5	1
EPC011	ABS/PP	280	230	33	122	255	185	25.5	114.5	1.15
EPC012	ABS/PP	375	272	33	137	340	215	26.5	129	2
EPC013	ABS/PP	390	285	35	85	365	247	28	77	1.8
EPC013-2	ABS/PP	390	285	35	135	365	247	28	127	2.35
EPC014-1	ABS/PP	425	325	34	94	390	265	25.5	84.5	2.4
EPC014	ABS/PP	425	325	34	134	390	265	25.5	124.5	2.7
EPC015	ABS/PP	465	365	47.5	92.5	435	305	39.5	83.5	3.2
EPC016	ABS/PP	465	365	47.5	137.5	435	305	39.5	128.5	3.4
EPC017-1	ABS/PP	515.5	434.5	53	102	477.5	357	43.25	90.75	4.1
EPC017-1B	ABS/PP	515.5	434.5	53	132	477.5	357	43.25	90.75	7.6
EPC017	ABS/PP	515.5	434.5	53	146	477.5	357	43.25	134.75	4.7
EPC017B	ABS/PP	515.5	434.5	53	176	477.5	357	43.25	134.75	8.2
EPC017-2	ABS/PP	515.5	434.5	53	187	477.5	357	43.25	175.75	5.4
EPC017-2B	ABS/PP	515.5	434.5	53	217	477.5	357	43.25	175.75	8.9
EPC018-1	ABS/PP	560	450	55	105	528	386	45.5	94.5	4.5
EPC018-1B	ABS/PP	560	450	55	135	528	386	45.5	94.5	6.3
EPC018	ABS/PP	560	450	55	145	528	386	45.5	134.5	4.9
EPC018B	ABS/PP	560	450	55	175	528	386	45.5	134.5	8.48
EPC018-2	ABS/PP	560	450	55	245	528	386	45.5	234.5	7.7
EPC018-2B	ABS/PP	560	450	55	275	528	386	45.5	234.5	9.5
EPC019	ABS/PP	345	266	34	86	311	210	27	78	1.55
EPC019A	ABS/PP	345	266	34	86	311	210	27	78	1.55
EPC019-2	ABS/PP	345	266	34	131	311	210	27	123	1.8
EPC020-1	ABS/PP	665	500	53	157	590	420	43.5	146.5	8.8
EPC020	ABS/PP	665	500	53	177	590	420	43.5	146.5	9.8
EPC021-1	ABS/PP	632	474	54	114	565	410	45	104	5.6
EPC021-1B	ABS/PP	632	474	54	134	565	410	45	104	6.6
EPC021	ABS/PP	632	474	54	158	565	410	45	148	5.9
EPC021B	ABS/PP	632	474	54	178	565	410	45	148	6.9
EPC022	ABS/PP	235	187	32	63	215	144	27	57	0.8
EPC022-2	ABS/PP	235	187	32	113	215	144	27	117	0.87
EPC025	ABS/PP	190	130	19	69	177	105.5	13	62	0.35
EPC025T	ABS/PP	190	130	19	69	177	105.5	13	62	0.35















- 1. 专利配方高性能抗冲击树脂, 防震耐摔, 秒杀目前同类产品。
- 2. 采用抗老化0型密封圈, 防护等级可达IP68。
- 3. 拥有发明专利的自动排气阀,自动调节箱体内外气压,从此不受环境影响。
- 4. 人体工程把手设计,最大化提高抓握舒适度。
- 5. 二级锁扣,采用杠杆原理,易开易合。
- 6. 专利配方海绵,可根据需求任意裁切,也可按要求,定制特定形状切口,保护设备天衣无缝。

Specification:

- 1. High impact performance and stamping resistance resin with patent formula which make our cases shockproof and rugged.
- 2. Protection level can be up to IP68 because of adopting anti-aging sealing O ring.
- 3. Automatic valve with patents help to adjust the pressure inside and outside to prevent your equipment or instrument from affected by outside environment.
- 4. The human engineering handle design , maximize the grabbing comfort.
- 5. The secondary lock with lever principle, easy to open or close.
- 6. Pick and plunk: foam made by a patented formula, can be cut or customized according to your request.protect your equipment flawlessly.



ITEM: RPC1010 Material: PP I D: L183 × W118 × H85 mm OD: L252 × W173 × H101 mm



ITEM: RPC1112 Material: PP I D: L233 × W178 × H108 mm OD: L268 × W240 × H124 mm



ITEM: RPC1117 Material: PP I D: L232 × W177 × H156 mm OD: L268 × W240 × H173 mm



ITEM: RPC1314 Material: PP I D: L294 × W219 × H132 mm OD: L332 × W283 × H148 mm



ITEM: RPC1316 Material: PP I D: L300 × W225 × H152 mm OD: L332 × W283 × H167 mm



ITEM: RPC1319 Material: PP I D: L291 × W216 × H172 mm OD: L332 × W283 × H188 mm



ITEM: RPC1632 Material: PP I D: L352 × W153 × H297 mm OD: L410 × W231 × H318 mm



ITEM: RPC1817 Material: PP I D: L425 × W285 × H155 mm OD: L469 × W372 × H177 mm



ITEM: RPC1823 Material: PP I D: L410 × W270 × H205 mm OD: L469 × W362 × H227 mm



ITEM: RPC1919 Material: PP I D: L417 × W316 × H147 mm OD: L488 × W369 × H189 mm



ITEM: RPC2014 Material: PP I D: L479 × W333 × H127 mm OD: L519 × W423 × H149 mm



ITEM: RPC2023 Material: PP I D: L471 × W325 × H208 mm OD: L519 × W405 × H230 mm



ITEM: RPC2122 Material: PP I D: L460 × W348 × H173 mm OD: L532 × W432 × H208 mm



ITEM: RPC2323 Material: PP I D: L505 × W295 × H195 mm OD: L576 × W374 × H237 mm



ITEM: RPC2327 Material: PP I D: L557 x W348 x H254 mm OD: L653 x W413 x H275 mm



ITEM: RPC2537 Material: PP I D: L545 × W417 × H318 mm OD: L639 × W510 × H367 mm



ITEM: RPC2740 Material: PP I D: L602 × W609 × H353 mm OD: L699 × W705 × H402 mm



ITEM: RPC2926 Material: PP I D: L678 × W428 × H215 mm OD: L761 × W510 × H264 mm



ITEM: RPC2934 Material: PP I D: L670 × W420 × H295 mm OD: L761 × W510 × H344 mm



ITEM: RPC3431 Material: PP I D: L778 × W477 × H275 mm OD: L866 × W564 × H317 mm



ITEM: RPC3816 Material: PP I D: L908 × W343 × H133 mm OD: L975 × W416 × H156 mm



ITEM: RPC5318 Material: PP I D: L1268 × W328 × H160 mm







- 1. 符合军工标准, 滚塑工艺一次成型, 无毒无味, 防紫外线性能优良;
- 2. 橡胶密封圈, 优越的耐氧化性, 良好的弹性和抗压缩变形性.
- 3. 适用于医疗仪器、摄影器材、小型器械、维修工具、紧急物质、大型设备、军用物资周转运输等; 在性能方面均超越普通运输的极限,可在空投、海运、高底温环境、各种雨雪天气和潮湿环境中作业。

Specification:

- 1.Molded-in, tongue-in-groove gasket parting lines for splash resistance and tight seals, even after impact.
- 2. Reinforced corners and edges for additional impact protection.
- 3. Recessed hardware for extra protection.
- 4. Humanization design of the interior is convenient for setting meters and other devices.
- 5. Positive anti-shear locks, which prevent lid separation after impact, and reduce stress on hardware.
- 6. Molded-in ribs and corrugations for secure, non-slip stacking, columnar strength, and added protection.
- 7. One-piece construction, molded from lightweight, high-impact polyethylene.
- 8. Military: protecting and transporting guns and ammo, equipments for communication, EOD medical, etc.
- 9. Photography: storage and carrying of precision camera or lenses etc. The waterproof, damp proof and shockproof functions offer a better protection to your valuable devices.
- 10.Industry: good companion to your precision meters, who not only offers better protection but also portable and make your outdoor work easier.



ITEM: RPG1919 Material:PE
ID: L420xW280xH163mm
OD: L480xW340xH190mm



ITEM: RPG2331 Material:PE
ID: L522xW358xH253mm
OD: L580xW410xH302mm



ITEM: RPG2420 Material:PE
ID: L540xW340xH180mm
OD: L600xW400xH208mm



ITEM: RPG2440 Material:PE
ID: L515xW415xH345mm
OD: L600xW500xH430mm



ITEM: RPG3130 Material:PE
ID: L730xW530xH236mm
OD: L800xW600xH300mm



ITEM: RPG3138 Material:PE
ID: L709xW450xH346mm
OD: L810xW530xH380mm




ITEM: RPG3150 Material:PE
ID: L726xW525xH430mm
OD: L800xW600xH500mm



ITEM: RPG3160 Material:PE
ID: L727xW527xH530mm
OD: L800xW600xH610mm



ITEM: RPG3550 Material:PE
ID: L815xW518xH427mm
OD: L900xW600xH500mm



ITEM: RPG3590 Material:PE
ID: L820xW820xH820mm
OD: L900xW900xH900mm



ITEM: RPG3736 Material:PE
ID: L874xW600xH294mm
OD: L950xW680xH360mm



ITEM: RPG3765 Material:PE
ID: L874xW600xH580mm
OD: L950xW680xH650mm



ITEM: RPG3945 Material:PE
ID: L908xW816xH375mm
OD: L1000xW900xH450mm



ITEM: RPG3980 Material:PE
ID: L920xW820xH723mm
OD: L1000xW900xH800mm



ITEM: RPG4336 Material:PE
ID: L1004xW450xH327mm
OD: L1080xW530xH370mm



ITEM: RPG4345 Material:PE
ID: L1028xW427xH386mm
OD: L1100xW500xH450mm



ITEM: RPG4760 Material:PE
ID: L1130xW730xH525mm
OD: L1200xW800xH600mm



ITEM: RPG6390 Material:PE
ID: L1520xW720xH816mm
OD: L1600xW800xH900mm



ITEM: RPG7150 Material:PE
ID: L1710xW516xH320mm
OD: L1800xW560xH500mm



ITEM: RPG4U Material:PE
ID: L483xW450xH181mm
OD: L760xW621xH364mm



ITEM: RPG6U Material:PE ID: L270xW483xH600mm OD: L860xW592xH446mm




ITEM: RPG8U Material:PE ID: L360xW483xH600mm OD: L860xW592xH535mm




ITEM: RPG1920 Material:PE
Open: L1920xW500xH752mm
Close: L640xW530xH752mm
Small Drawer: L430xW475xH130mm
Large Drawer: L430xW475xH250mm













- 1. 适用于原型设计和电路测试;
- 2. 塑料面板, 金属接触片;
- 3. 可与20-29AWG的导线配合使用;
- 4. 电压/ 电流: 300V/ 3-5A。

Specification:

- 1. Perfect for Arduino Shield Prototyping and Testing;
- 2. Plastic housing, Metal contact clips;
- 3.Accept wire with diameter 20-29AWG;
- 4. Voltage/current: 300V/3-5A.



ITEM:EB01K 1 Standard double-strip,170 PTS SIZE:4.55 × 3.45 × 0.83 cm



ITEM:EB01 170 tie-point 1 Standard double-strip, 170 PTS SIZE:4.55 × 3.45 × 0.83 cm




ITEM:EB01T 170 tie-point 1 Standard double-strip,170 PTS SIZE:4.55 × 3.45 × 0.83 cm



IITEM:EB01KT 1 Standard double-strip, 170 PTS



ITEM:EB02 400 tie-point 2 Power lanes, 100 PTS 1 Standard double-strip,300 PTS SIZE:8.25 × 5.45 × 0.83 cm



ITEM:EB02-2P 100 tie-point 2 Power lane, 100 PTS SIZE:8.25 × 0.95 × 0.83 cm



ITEM:EB02-1ST 300 tie-point 1 Standard double-strip, 300 PTS SIZE: $8.25 \times 3.55 \times 0.83$ cm



ITEM:EB02T 400 tie-point 2 Power lanes, 100 PTS



ITEM:EB02-2PT 100 tie-point 2 Power lane, 100 PTS $\text{SIZE:} 8.25 \times 0.95 \times 0.83 \text{ cm}$



ITEM:EB02-2S3P 750 tie-point 3 Power lanes, 150 PTS 2 Standard double-strips,600 PTS 3 Standard double-strips,900 PTS SIZE: $8.25 \times 9.95 \times 0.83$ cm



ITEM:EB02B-3S4P 1100 tie-point 4 Power lanes, 200 PTS SIZE:8.25 \times 14.45 \times 0.83 cm



6 Power lanes, 300 PTS 4 Standard double-strips, 1200 PTS SIZE: 16.5 × 9.95 × 0.83 cm



ITEM:EB02B-6S8P 2200 tie-point 8 Power lanes,400 PTS 6 Standard double-strips, 1800 PTS 1 Standard double-strip, 630 PTS $\text{SIZE:}16.5\!\times\!14.45\!\times\!0.83\,\text{cm}$



ITEM:EB03 830 tie-point 2 Power lanes, 200 PTS SIZE:16.51 × 5.45 × 0.83 cm



ITEM:EB03-2P 200 tie-point 2 Power lane, 200 PTS SIZE:16.51 \times 0.95 \times 0.83 cm



ITEM:EB03-1S 630 tie-point 1 Standard double-strip, 630PTS $SIZE:16.51 \times 3.55 \times 0.83$ cm



ITEM:EB03-1S1P 730 tie-point 1 Power lane, 100 PTS 1 Standard double-strip, 630PTS SIZE:16.51 × 4. 5 × 0.83 cm



ITEM:EB03T 830 tie-point 2 Power lanes, 200 PTS 1 Standard double-strip,630 PTS SIZE:16.51 × 5.45 × 0.83 cm



ITEM:EB03-2PT 200 tie-point 2 Power lane, 200 PTS SIZE:16.51×0.95×0.83 cm



ITEM:EB03-1ST 630 tie-point 1 Standard double-strip,630 PTS SIZE:16.51 \times 3.55 \times 0.83 cm

-54-

 $\mathsf{SIZE} \mathpunct{:} 4.55 \times 3.45 \times 0.83 \, \mathsf{cm}$



ITEM:EB02B-4S6P 1500 tie-point







ITEM:EB03B 830 tie-point 2 Power lanes, 200 PTS 1 Standard double-strip, 630 PTS SIZE:16.51×5.45×0.83 cm



1 Power lane, 100 PTS SIZE:16.51 × 8.05 × 0.83 cm



ITEM:EB03B-2S1P 1360 tie-point ITEM:EB03B-2S4P 1660 tie-point ITEM:EB03B-3S5P 2390 tie-point 4 Power lanes, 400 PTS 2 Standard double-strips, 1260 PTS 2 Standard double-strips, 1260 PTS 3 Standard double-strips, 1890 PTS SIZE:16.51 \times 10.9 \times 0.83 cm



5 Power lanes, 500 PTS SIZE:17.46 \times 16.51 \times 0.83 cm



840 tie-point ITEM:EB04 2 Power lanes, 200 PTS 4 Standard double-strips,2520 PTS 1 Standard double-strip,640 PTS $\text{SIZE:}17.12\!\times\!6.42\!\times\!0.83\,\text{cm}$



ITEM:EB04B 840 tie-point 2 Power lanes, 200 PTS 1 Standard double-strip,640 PTS SIZE:17.12×6.42×0.83 cm



ITEM:EB04-2P 200 tie-point 2 Power lane, 200 PTS SIZE:17.12×1.25×0.83 cm



ITEM:EB03B-4S7P 3220 tie-point

7 Power lanes, 700 PTS

SIZE:18.41×18.95×0.83 cm

ITEM:EB04-1S 640 tie-point 1 Standard double-strip,640 PTS SIZE:17.12 × 3.92 × 0.83 cm



ITEM:EB04-1S1P 740 tie-point 1 Power lane, 100 PTS 1 Standard double-strip,640 PTS SIZE:17.12×5.17×0.83 cm



ITEM:EB04B-2S1P 1380 tie-point 1 Power lane, 100 PTS 2 Standard double-strips, 1280PTS 2 Standard double-strips, 1280 PTS SIZE:17.12×9.09×0.83 cm



ITEM:EB04B-2S3P 1580 tie-point 3 Power lanes,300 PTS SIZE:17.12 × 11.59 × 0.83 cm



ITEM:EB04B-2S4P 1680 tie-point 4 Power lanes, 400 PTS 2 Standard double-strips,1280PTS SIZE:17.12 \times 12.84 \times 0.83 cm



ITEM:EB04B-3S5P 2420 tie-point 5 Power lanes. 500 PTS 3 Standard double-strips, 1920PTS 4 Standard double-strip, 2560 PTS SIZE:18.37×17.12×0.83 cm



ITEM:EB04B-4S7P 3260 tie-point ITEM:EB05 7 Power lanes, 700 PTS SIZE:19.62 × 21.93 × 0.83 cm



840 tie-point 2 Power lanes, 200 PTS 1 Standard double-strip,640 PTS SIZE:17.29 × 6.48 × 0.83 cm



ITEM:EB06 270 tie-point 2 Power lanes, 40 PTS 1 Standard double-strip,230 PTS SIZE: $8.35 \times 4.55 \times 0.83$ cm



ITEM:EB06B-3S 810 tie-point 6 Power lanes, 120 PTS 3 Standard double-strips,690 PTS SIZE:8.35 × 13.65 × 0.83 cm



ITEM:EB06B-4S 1080 tie-point 8 Power lanes, 160 PTS 4 Standard double-strips, 920 PTS 6 Standard double-strips, 1380 PTS SIZE: 16.7×9.1×0.83 cm



ITEM:EB06B-6S 1620 tie-point 12 Power lanes, 240 PTS SIZE:16.7 × 13.65 × 0.83 cm



ITEM:EB07-700 700 tie-point ITEM:EB07LB-4S1P 2900 tie-point 2 Power lanes, 100 PTS 1 Standard double-strip,600 PTS SIZE:18.95 \times 18.52 \times 0.83 cm SIZE:17.7×4.63×0.83 cm



2 switches

ITEM:EWB08 18.4x8.4x8.4mm 8 tie-point

ITEM:JW-D1-MM

Diameter: 22-28AWG

10 pcs/ pack


2-pin

ITEM:RW-DC26-M

Dupont male pins

2.54MM pitch


FC ribbon wire



ITEM:JW-D1-MF 10 pcs/pack Diameter:22-28AWG

ITEM:EWB09

28.5x8.4x8.4mm



ITEM:JW-D2-F ITEM:RW-D40-MM 40P Dupont Wire 2.54 × 2.54MM pitch connector Diameter: 22-28AWG



ITEM:RW-DC26-F Dupont female pins 2.54MM pitch FC ribbon wire



ITEM:EB07LB-6S1P 4660 tie-point ITEM:EB08 2 switches $\text{SIZE:} 18.95 \!\times\! 27.78 \!\times\! 0.83 \, \text{cm}$



ITEM:JW-U-140 140-wire/box Diameter:22-26AWG



ITEM:JW-U-350 350-wire/box Diameter:22-26AWG



ITEM:JW-MM-65 65 pcs/pack Diameter:22-28AWG




ITEM:JW-MM-75 75 pcs/ pack Diameter: 22-28AWG



ITEM:JW-D1-FF 10 pcs/pack Diameter:22-28AWG



ITEM:JW-D2-FF Diameter: 22-28AWG



ITEM:RW-D40-MF 40P Dupont Wire 2.54 × 2.54MM pitch connector



ITEM:RW-D40-FF 40P Dupont Wire 2.54 × 2.54MM pitch connector

-56-

270 tie-point






ITEM:RW-C26/40 2.54mm pitch FC ribbon wire

ITEM:PR003

2.54mm pitch

Dual or single header

can be customized




ITEM:CW 28AWG (OD1.8mm) 50cm length Two end crocodile clips




ITEM:PR001 2.54mm pitch STRAIGHT 2×13 PINS




ITEM:PR002 2×13 pin 14.5mm pin length 0.4U thickness gold flash




ITEM:PR004
2.54mm pitch
IC socket
can be customized



ITEM:PCB01 2.54mm pitch Hole size: 1.0mm Board thickness: 1.2mm/1.5mm



ITEM:PCB02 2.54mm pitch Hole size: 1.0mm Board thickness: 1.2mm/1.5mm



ITEM:PCB03 2.54mm pitch Hole size: 1.0mm Board thickness: 1.2mm/1.5mm



ITEM:PCB04 One side full copper clad Board size customized

防水接头/Cable Gland



塑料电缆螺旋接头 Cable Gland

材料Material:尼龙PA66

夹紧件Clamping Parts:尼龙PA66 O型密封圈O-Ring gasket:丁晴橡胶NBR 密封件Sealing Parts:丁晴橡胶NBR

防护等级IP Rate:IP67

环境温度Environment temperature: -40~100℃,短时间Instant120℃



Sealing Nut Seal 迫紧螺帽 密封圈

Body W. 主体

Vasher Lock No 垫片 螺帽

塑料电缆螺旋接头 Cable Gland (PG)

	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
型号 Item No	螺纹外径 Thread diameter mm	适用电缆长度 Cable range mm	螺纹长度 Thread length mm	数量/袋 Packing/bag
PG7	12	3∼6	9	100pcs
PG9	16	3.5∼8	10	100pcs
PG11	18.5	4∼9	10	100pcs
PG13.5	20	5∼11	11	100pcs
PG16	22	8∼13	10	100pcs
PG19	24	8∼15	10	100pcs
PG21	28	13~18	12	50pcs
PG24	32	13.5~20	11	25pcs
PG25	30	10~20	14	50pcs
PG29	37	13~24	15	25pcs
PG36	46	22~33	15	10pcs
PG42	50	23~36	14	10pcs
PG48	58	29~41	21	5pcs
PG63	70	42~52	28	5pcs
PG75	88	60~75	30	5pcs

塑料电缆螺旋接头Plastic Cable Gland (MG)

型号 Item No	螺纹外径 Thread diameter mm	适用电缆长度 Cable range mm	螺纹长度 Thread length mm	数量/袋 Packing/bag
MG12A	12	3∼6	9	100
MG16A	16	6∼10	9	100
MG20A	20	9∼13	10	100
MG25A	25	9∼17	8	100
MG32A	32	14~24	10	100
MG40A	40	22~30	10	100
MG50A	50	30~39	10	50
MG63A	63	41~51	13	50



塑料电缆螺旋接头Plastic Cable Gland (M)

型号 Item No	螺纹外径 Thread diameter mm	适用电缆长度 Cable range mm	螺纹长度 Thread length mm	数量/袋 Packing/bag
M12*1.5	12	2~6	9	100
M14*1.5	14	2~7	9	100
M16*1.5	16	3.5∼8	10	100
M18*1.5	18	4∼9	8	100
M20*1.5	20	5∼11	10	100
M22*1.5	22	7∼13	10	100
M24*1.5	24	8∼15	10	50
M25*1.5	25	9∼16	13	50
M27*1.5	27	9∼18	11	50
M27*2	27	9∼17	12	50
M30*1.5	30	14~20	11	50
M32*1.5	32	11~20	14	25
M33*1.5	32.5	12~20	12	25
M36*1.5	36	13~23	10	25
M36*2	36	16~25	10	25
M40*1.5	40	19~29	20	20
M50*1.5	49	30~35	20	10
M63*1.5	62	29~40	15	10
M90*2.5	88	60~75	30	5

金属电缆螺旋接头 Metal Cable Gland A

材料Material:黄铜镀镊Brass Ni plated O型密封圈O-Ring gasket:丁晴橡胶NBR 密封件Sealing Parts:丁晴橡胶NBR 防护等级IP Rate:IP67

环境温度Environment temperature: -40~100℃,短时间Instant 120℃



迫紧螺帽





密封圈



夹紧件

Sealing Clamping Ring





主体







Washer Lock Nut 垫片 螺帽

金属电缆螺旋接头 Metal Cable Gland (PG)

型号 Item No	螺纹外径 Thread diameter mm	适用电缆长度 Cable range mm	螺纹长度 Thread length mm	数量/袋 Packing/bag
PG7	12	2~6	6	100pcs
PG9	16	3∼7	8	100pcs
PG11	18	5∼40	10	100pcs
PG13.5	20	6∼11	11	100pcs



金属电缆螺旋接头 Metal Cable Gland (PG)

型号 Item No	螺纹外径 Thread diameter mm	适用电缆长度 Cable range mm	螺纹长度 Thread length mm	数量/袋 Packing/bag
PG16	22	6∼12	10	100pcs
PG19	24	6∼12	10	50pcs
PG21	28	10~16	10	50pcs
PG24	30	10~16	10	50pcs
PG25	30	15~20	10	25pcs
PG29	36	17∼22	22	25pcs
PG36	48	22~30	11	10pcs
PG42	50	25~34	13	5pcs
PG48	59	31~43	12	5pcs
PG63	70	40∼52	15	5pcs

金属电缆螺旋接头Metal Cable Gland (MG)

型号 Item No	螺纹外径 Thread diameter mm	适用电缆长度 Cable range mm	螺纹长度 Thread length mm	数量/袋 Packing/bag
MG12	12	3∼6	9	100
MG16	16	6~10	9	100
MG20	20	9∼13	10	100
MG25	25	9∼17	8	100
MG32	32	14~24	10	100
MG40	40	22~30	10	100
MG50	50	30∼39	10	50

金属电缆螺旋接头Metal Cable Gland (M)

型号 Item No	螺纹外径 Thread diameter mm	适用电缆长度 Cable range mm	螺纹长度 Thread length mm	数量/袋 Packing/bag
M12	12	2∼6	6	100pcs
M14	14	3∼6	7	100pcs
M16	16	3∼7	8	100pcs
M18	18	5∼10	7	100pcs
M20	20	6∼11	9	100pcs
M22	22	6∼12	8	100pcs
M24	24	6∼12	8	50pcs
M25	25	10~16	8	50pcs
M27	27	10~16	10	50pcs
M30	30	10~16	10	50pcs
M32	32	15~20	10	25pcs
M33	32.5	17~21	11	25pcs
M36	36	17~22	12	25pcs
M40	40	18~28	12	20pcs
M48	48	22~30	11	10pcs
M50	50	25~34	13	5pcs
M50	58	31~43	12	5pcs
M63	62	35∼43	14	5pcs
M72	88	40~52	15	5pcs





竭诚为客户提供优质模具开发/ 服务及产品加工

Provide quality service and product processing, mold development for customers

